

PRICE BOOK NO. 204S ORDERING INFORMATION

Replacing Catalogue No. 789S
Effective March, 2007

Container Quantities

Bulk and Packaged Case items are supplied in full containers and we reserve the right to adjust order quantities to the nearest full container or multiple thereof.

Shelf-Pak 5

All screws No. 12 diameter or smaller and 2" long or shorter are carried in stock in cartons of 5 packages of the packaged quantity shown. (5x100). Please order in multiples thereof as an additional charge is applied to quantities less than 500 pieces.

Finishes

Unless otherwise specified all Screws are supplied plated with a Bright Zinc Chromated finish. Other finishes such as antique brass, nickel, statuary bronze, JS 500, etc. are available - price on application.

Stock Sizes

Stock sizes are shown in **HEAVY** type while non-stock sizes are shown in light type and are subject to availability or minimum production quantities which vary according to size and type of product.

Wood Screws

Square Socket (LOXXON®) drive steel Wood Screws are made of high-quality carbon steel and hardened. The thread length is approximately two-thirds (2/3) of the nominal length for screws over 1". Screws that are 1" or shorter are fully threaded. All square socket drive screws 1" and longer are twin lead thread whereas shorter screws are single lead thread. For technical information see page Z4.

Tapping Screws

Tapping Screws are made of high-quality carbon steel and are case hardened. Type A Tapping Screws are commonly supplied. Type AB, B, BP and C Tapping Screws are available - price on application. For technical information see pages Z2-Z3 and Z5-Z7.

Machine Screws

Machine Screws are supplied fully threaded within two pitches (threads) of the bearing surface of the head with the following exceptions: No. 5 diameter and smaller shall have a minimum thread length of 1". No. 6 diameter and larger shall have a minimum thread length of 1-1/2". For technical information see page Z2 and Z4.

Specialty Screws

To further complement our standard offering, our manufacturing divisions are capable of producing specialty fasteners and screw machine parts to meet the unique needs of our customers.

For "Conditions of Sale" Terms and Warranty, refer to current Discount Schedules.



H. Paulin & Co., a division of The Hillman Group Canada ULC

55 Milne Avenue, Toronto, Canada M1L 4N3 Telephone: (416) 694-3351 Fax: (416) 694-1869


Toll Free: 1-800-268-4000 Email: paulin@hpaulin.com

Website: www.hpaulin.com

Vancouver	Edmonton	Winnipeg	Montreal	Moncton
3179 Thunderbird Crescent, Burnaby, British Columbia V5A 3G1 Telephone: (604) 421-3096 Fax: (604) 421-3046 Toll Free: 1-800-667-7978	11714-180th, Street, Edmonton, Alberta T5S 1N7 Telephone: (780) 450-1346 Fax: (780) 463-3597 Toll Free: 1-800-262-9026	1670-A Inkster Blvd, Winnipeg, Manitoba R2X 2W8 Telephone: (204) 694-3802 Fax: (204) 694-3804 Toll Free: 1-800-665-7464	2591 Rue Debray Laval, Quebec H7S 2J4 Telephone: (450) 688-4292 Fax: (450) 688-4750 Toll Free: 1-800-361-2327	159 Henri Dunant Street, Moncton, New Brunswick E1E 1E4 Telephone: (506) 857-8658 Fax: (506) 857-9338 Toll Free: 1-800-561-7916


SCREW PRODUCTS AVAILABLE IN A VARIETY OF PACKAGING

Bulk Bucket (BB)




BULK PACKING

Bulk Carton (BC)




1/8 Keg Bucket (BK)




1/8 KEG PACKING

1/8 Keg Carton (CK)




Pail Packing (PP)



PAIL /CASE PACKING



Case



All Pail Packages (PP) are packed in cases.

Black Box Packaging (PKG)


BOX /CASE PACKING



Most Black Box Packages (PKG) are packed 5 per "sleeve" and then packed in case boxes.

CLAMSHELL/CASE PACKING

Clamshell Packaging (CL)



Most Clamshell Packages (CL) are packed 5 per clamshell "sleeve" and then packed in case boxes.

CONTRACTOR PACKING

Fast-Pac® Jars



"Fast-Pac®" Contractor jar packages (See Section 'O').

WOOD SCREWS




197	Flat Head Square Drive Wood Screws - Zinc	H1-3
198	Round Head Square Drive Wood Screws - Zinc	H4-5
1970	Flat Head Square/Phillips Coarse Thread Screws Zinc	H6
1972	Flat Head Square/Phillips Coarse Thread Screws Bare Lubricated	H6

AVAILABLE IN THE FOLLOWING PACKAGES:

BULK PACKING

Bulk Carton (BC)



CONTRACTOR PACKAGING

Jars




Also available in "Fast-Pac®" Contractor jar packages (See Section 'O').

PACKAGE/CASE PACKING

Black Box Package (PKG)



Case




Most Black Box Packages (PKG) are packed 5 per "sleeve" and then packed in case boxes.

FLAT 'LOXXON®' HEAD STEEL WOOD SCREWS

SQUARE SOCKET DRIVE
Zinc Plated


197*
Flat
Steel



197



B197



Also available in selected
sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

No. 3 DIA.								No. 4 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.
		Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty				Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty	
-028	3/8	\$3.57	100	7500	\$2.00	25000	.90	-041	3/8	\$2.28	100	7500	\$1.18	25000	1.2
-030	1/2	3.83	100	7500	2.04	25000	1.0	-043	1/2	2.38	100	7500	1.26	25000	1.4
-031	5/8	4.03	100	7500	2.06	25000	1.2	-044	5/8	2.43	100	7500	1.38	25000	1.6
								-045	3/4	2.63	100	7500	1.50	25000	1.9
								-046	7/8	2.84	100	7500	1.77	20000	2.1
								-047	1	3.09	100	7500	1.77	15000	2.3
								-049	1-1/4	3.12	100	7500	1.98	15000	2.5
No. 0 'Loxxon' Square Socket Bit or Yellow Handle Driver								No. 0 'Loxxon' Square Socket Bit or Yellow Handle Driver							
No. 5 DIA.								No. 6 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.
		Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty				Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty	
-061	3/8	\$2.38	100	7500	\$1.44	25000	1.6	-085	3/8	\$2.18	100	7500	\$1.40	25000	1.9
-063	1/2	2.44	100	7500	1.40	25000	1.9	-087	1/2	2.24	100	7500	1.63	25000	2.2
-064	5/8	2.54	100	7500	1.51	25000	2.2	-088	5/8	2.34	100	7500	1.77	20000	2.5
-065	3/4	2.66	100	7500	1.73	20000	2.4	-089	3/4	2.54	100	7500	2.00	15000	2.9
-066	7/8	2.94	100	7500	1.93	15000	2.7	-090	7/8	2.66	100	7500	2.15	15000	3.2
-067	1	3.26	100	7500	1.88	15000	2.9	-091	1	3.03	100	7500	2.05	10000	3.4
-069	1-1/4	4.45	100	4500	2.77	10000	3.6	-093	1-1/4	3.36	100	4500	2.07	10000	4.3
								-095	1-1/2	3.65	100	4500	2.49	7500	5.3
								-097	1-3/4	4.83	100	3000	3.33	5000	5.8
								-098	2	5.28	100	2000	3.81	5000	6.3
No. 1 'Loxxon' Square Socket Bit or Green Handle Driver								No. 1 'Loxxon' Square Socket Bit or Green Handle Driver							

Note: Please use Series and Size No. when ordering:

Example: 6 x 2 Flat 'Loxxon®' Head Steel Wood Screws Plated

Series Size No.

Case - 197 -098

Bulk - B197 -098

Stock Sizes are shown in **HEAVY** type.

Other Head Styles, Drives and Materials: Price on Application.

For Brass Wood Screws see our non-ferrous Catalogue CRF-998.

* Also available in Bulk **B193** Flat Head Phillips Steel Wood Screws Plated

July 21st, 2008




H. Paulin & Co., a division of The Hillman Group Canada ULC

H1

FLAT 'LOXXON'® HEAD STEEL WOOD SCREWS

SQUARE SOCKET DRIVE
Zinc Plated

197*
Flat
Steel



Also available in selected
sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

No. 7 DIA.								No. 8 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.
		Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty				Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty	
-111	1/2	\$2.73	100	7500	\$1.88	20000	2.3	-137	1/2	\$2.50	100	7500	\$1.83	15000	3.3
-112	5/8	2.88	100	7500	2.10	15000	2.8	-138	5/8	2.79	100	7500	2.06	15000	3.8
-113	3/4	2.98	100	7500	2.33	15000	3.2	-139	3/4	2.83	100	7500	2.29	15000	4.2
-114	7/8	-	-	-	-	-	3.7	-140	7/8	3.10	100	4500	2.57	10000	4.7
-115	1	3.38	100	4500	2.38	10000	3.9	-141	1	3.17	100	4500	2.66	10000	4.9
-117	1-1/4	4.04	100	4500	2.97	8000	5.2	-143	1-1/4	3.38	100	4500	2.70	7500	6.2
-119	1-1/2	4.22	100	3000	3.26	7500	6.4	-145	1-1/2	3.72	100	3000	3.23	6000	7.4
-121	1-3/4	-	-	-	-	-	-	-147	1-3/4	4.32	100	2000	3.39	5000	8.7
-122	2	5.35	100	2000	4.20	5000	8.6	-148	2	4.70	100	2000	3.76	4000	9.6
								-149	2-1/4	6.94	100	1600	4.01	3000	11.0
								-150	2-1/2	7.43	100	1600	4.45	2500	11.7
								-152	3	9.30	100	800	5.51	1500	14.9
								-154	3-1/2	14.92	100	800	8.88	1000	15.5
								-156	4	18.29	100	800	10.69	1000	16.8

No. 1 'Loxxon' Square Socket Bit or Green Handle Driver

No. 2 'Loxxon' Square Socket Bit or Red Handle Driver

No. 9 DIA.								No. 10 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.
		Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty				Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty	
-163	1/2	-	-	-	-	-	-	-189	1/2	\$3.48	100	7500	\$2.93	10000	4.6
-164	5/8	-	-	-	-	-	-	-190	5/8	3.58	100	7500	3.26	10000	5.2
-165	3/4	\$3.34	100	7500	\$2.77	10000	4.5	-191	3/4	3.77	100	4500	3.36	10000	5.9
-166	7/8	-	-	-	-	-	-	-192	7/8	4.12	100	4500	3.58	7500	6.5
-167	1"	4.05	100	4500	3.37	10000	5.9	-193	1"	4.01	100	4500	3.45	7500	6.6
-169	1-1/4	4.48	100	3000	3.59	7500	7.2	-195	1-1/4	4.50	100	3000	4.03	5000	8.4
-171	1-1/2	5.06	100	2000	4.16	5000	8.6	-197	1-1/2	5.09	100	2000	4.59	5000	10.0
-173	1-3/4	6.27	100	2000	4.83	4000	10.0	-199	1-3/4	6.19	100	2000	5.09	4000	11.4
-174	2"	7.57	100	2000	5.49	3000	11.3	-200	2"	6.77	100	1600	5.73	3000	12.6
-175	2-1/4	-	-	-	-	-	12.8	-201	2-1/4	8.49	100	1600	6.75	2500	15.0
-176	2-1/2	8.20	100	1600	7.43	2500	14.7	-202	2-1/2	8.99	100	1200	6.86	2000	16.3
-178	3"	11.20	100	1200	9.25	1500	17.4	-204	3"	10.28	100	800	8.00	1500	20.1
-180	3-1/2	-	-	-	-	-	-	-206	3-1/2	15.99	100	800	10.66	1000	22.2
								-208	4"	19.87	100	800	14.34	800	24.3
								-210	5"	22.17	100	600	16.37	600	27.2
								-213	6"	24.74	100	600	18.27	600	29.8

No. 2 'Loxxon' Square Socket Bit or Red Handle Driver

No. 2 'Loxxon' Square Socket Bit or Red Handle Driver


* Also available in Bulk **B193** Flat Head Phillips Steel Wood Screws Plated

Stock Sizes are shown in **HEAVY** type.
Revised January 14th, 2009

FLAT 'LOXXON®' HEAD STEEL WOOD SCREWS

SQUARE SOCKET DRIVE
Zinc Plated


197*
Flat
Steel



197



B197



Also available in selected
sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

No. 12 DIA.								No. 14 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.
		Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty				Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty	
-248	3/4	\$5.07	100	4500	\$4.45	5000	8.1	-278	3/4	-	-	-	-	-	11.5
-249	7/8	-	-	-	-	-	8.9	-279	7/8	-	-	-	-	-	12.6
-250	1"	5.26	100	3000	4.42	4000	9.0	-280	1"	\$7.63	100	2000	\$6.18	4000	10.9
-252	1-1/4	6.19	100	2000	5.10	4000	11.0	-282	1-1/4	8.73	100	2000	7.07	3000	13.7
-254	1-1/2	7.17	100	2000	6.28	3000	13.0	-284	1-1/2	9.70	100	1600	8.09	2500	16.5
-256	1-3/4	8.84	100	2000	6.82	3000	14.7	-286	1-3/4	10.71	100	1600	9.57	2000	18.5
-257	2"	9.63	100	1600	7.14	2500	17.4	-287	2"	11.22	100	1600	10.47	2000	21.3
-258	2-1/4	10.94	100	1600	8.79	2000	19.2	-288	2-1/4	12.74	100	800	12.32	1500	24.7
-259	2-1/2	11.74	100	800	9.71	1500	22.4	-289	2-1/2	13.48	100	800	13.13	1500	26.8
-261	3"	14.08	100	800	11.72	1000	26.3	-291	3"	17.21	100	600	16.91	1000	32.1
-263	3-1/2	17.51	100	600	14.67	1000	31.1	-293	3-1/2	25.15	100	600	19.17	800	37.7
-265	4"	23.77	100	600	16.18	800	34.1	-295	4"	29.88	100	600	22.95	500	42.9

No. 3 'Loxxon' Square Socket Bit or Black Handle Driver

No. 3 'Loxxon' Square Socket Bit or Black Handle Driver

No. 16 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.
		Plated 197	Pkg Qty	Case Qty	Plated B197	Bulk Qty	
-361	2"	\$18.91	100	800	\$16.00	1500	27.5
-363	2-1/2	20.79	100	800	17.70	800	31.2
-365	3"	22.05	100	600	18.90	500	39.3
-369	4"	44.10	100	600	37.52	400	52.5

No. 4 'Loxxon' Square Socket Bit or Black Handle Driver

Stock Sizes are shown in **HEAVY** type.

Note: Please use Series and Size No. when ordering:
Example: 12 x 1 Flat 'Loxxon®' Head Wood Screws
Zinc Plated

Series Size No.
Case - **197** -250
Bulk - **B197** -250

Other Head Styles, Drives and Materials: Price on Application.
For Brass Wood Screws see our non-ferrous Catalogue CRF-998.

* Also available in Bulk **B193** Flat Head Phillips Steel Wood Screws Plated

ROUND 'LOXXON'® HEAD STEEL WOOD SCREWS

SQUARE SOCKET DRIVE
Zinc Plated



198

Round
Steel

198



B198



Also available in selected
sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

No. 3 DIA.							No. 4 DIA.						
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			Approx Weight 1000 Pcs.
		198	Pkg Qty	Case Qty	B198	Bulk Qty				198	Pkg Qty	Case Qty	
-028	3/8	\$2.25	100	7500	\$1.73	25000	.9	-041	3/8	\$1.68	100	7500	1.2
-030	1/2	2.37	100	7500	1.77	25000	1.0	-043	1/2	1.75	100	7500	1.4
-031	5/8	2.42	100	7500	1.80	25000	1.2	-044	5/8	1.83	100	7500	1.6
								-045	3/4	1.89	100	7500	1.9
								-046	7/8	2.01	100	7500	2.1
								-047	1"	2.10	100	7500	2.3
								-049	1-1/4	2.30	100	7500	2.5

No. 0 'Loxxon' Square Socket Bit or Yellow Handle Driver

No. 0 'Loxxon' Square Socket Bit or Yellow Handle Driver

No. 5 DIA.							No. 6 DIA.						
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			Approx Weight 1000 Pcs.
		198	Pkg Qty	Case Qty	B198	Bulk Qty				198	Pkg Qty	Case Qty	
-063	1/2	\$1.83	100	7500	\$1.47	25000	1.9	-087	1/2	\$1.92	100	7500	2.2
-064	5/8	1.89	100	7500	1.52	25000	2.2	-088	5/8	2.10	100	7500	2.5
-065	3/4	1.99	100	7500	1.61	20000	2.4	-089	3/4	2.17	100	7500	2.9
-066	7/8	2.18	100	7500	1.78	15000	2.7	-090	7/8	2.82	100	7500	3.2
-067	1"	2.32	100	7500	1.88	15000	2.9	-091	1"	3.10	100	4500	3.4
								-093	1-1/4	3.53	100	4500	4.3
								-095	1-1/2	3.93	100	4500	5.3
								-097	1-3/4	4.73	100	3200	5.8
								-098	2"	5.28	100	3000	6.3

No. 1 'Loxxon' Square Socket Bit or Green Handle Driver

No. 1 'Loxxon' Square Socket Bit or Green Handle Driver

No. 7 DIA.							No. 8 DIA.						
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			Approx Weight 1000 Pcs.
		198	Pkg Qty	Case Qty	B198	Bulk Qty				198	Pkg Qty	Case Qty	
-111	1/2	\$2.08	100	7500	\$1.64	20000	2.3	-137	1/2	\$2.94	100	7500	3.3
-112	5/8	2.26	100	7500	1.80	15000	2.8	-138	5/8	3.04	100	7500	3.8
-113	3/4	2.37	100	7500	1.90	15000	3.2	-139	3/4	3.21	100	7500	4.2
-114	7/8	-	-	-	-	-	3.7	-140	7/8	3.45	100	4500	4.7
-115	1"	2.81	100	4500	2.26	10000	3.9	-141	1"	3.53	100	4500	4.9
-117	1-1/4	3.69	100	4500	3.01	8000	5.2	-143	1-1/4	3.65	100	4500	6.2
-119	1-1/2	4.48	100	3000	3.58	7500	6.4	-145	1-1/2	4.31	100	3000	7.4
-121	1-3/4	-	-	-	-	-	-	-147	1-3/4	5.47	100	2000	8.7
-122	2"	5.52	100	2000	4.60	5000	8.6	-148	2"	6.26	100	2000	9.6
								-149	2-1/4	7.86	100	1600	11.0
								-150	2-1/2	7.98	100	1600	11.7
								-152	3"	10.34	100	800	14.9

No. 1 'Loxxon' Square Socket Bit or Green Handle Driver

No. 2 'Loxxon' Square Socket Bit or Red Handle Driver

Stock Sizes are shown in **HEAVY** type.
February 2th, 2009

ROUND 'LOXXON'® HEAD STEEL WOOD SCREWS

SQUARE SOCKET DRIVE
Zinc Plated



198

Round
Steel

198



B198



Also available in selected
sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

No. 9 DIA.								No. 10 DIA.							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		198	Pkg Qty	Case Qty	B198	Bulk Qty				198	Pkg Qty	Case Qty	B198	Bulk Qty	
-163	1/2	-	-	-	-	-	-	-189	1/2	\$3.64	100	7500	\$3.04	10000	4.6
-164	5/8	-	-	-	-	-	-	-190	5/8	3.89	100	4500	3.21	10000	5.2
-165	3/4	\$3.57	100	7500	\$3.19	10000	4.5	-191	3/4	4.20	100	4500	3.34	10000	5.9
-166	7/8	-	-	-	-	-	-	-192	7/8	4.54	100	4500	3.52	7500	6.5
-167	1"	4.27	100	4500	3.72	10000	5.9	-193	1"	4.48	100	3000	3.86	7500	6.6
-169	1-1/4	4.80	100	3000	4.34	7500	7.2	-195	1-1/4	4.89	100	3000	4.47	5000	8.4
-171	1-1/2	5.53	100	2000	4.90	5000	8.6	-197	1-1/2	5.48	100	2000	5.34	5000	10.0
-173	1-3/4	6.26	100	2000	5.36	4000	10.0	-199	1-3/4	6.26	100	1600	5.66	4000	11.4
-174	2"	7.27	100	2000	6.52	3000	11.3	-200	2"	7.28	100	1600	6.53	3000	12.6
-175	2-1/4	-	-	-	-	-	12.8	-201	2-1/4	8.23	100	1600	7.13	2500	15.0
-176	2-1/2	-	-	-	-	-	14.7	-202	2-1/2	8.94	100	1200	8.08	2000	16.3
-178	3"	-	-	-	-	-	17.4	-204	3"	11.53	100	800	9.62	1500	20.1
-180	3-1/2	-	-	-	-	-	-	-206	3-1/2	15.49	100	800	12.34	1000	22.2
-182	4"	-	-	-	-	-	-	-208	4"	20.52	100	600	15.98	800	24.3
No. 2 'Loxxon' Square Socket Bit or Red Handle Driver								No. 2 'Loxxon' Square Socket Bit or Red Handle Driver							
No. 12 DIA.								No. 14 DIA.							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		198	Pkg Qty	Case Qty	B198	Bulk Qty				198	Pkg Qty	Case Qty	B198	Bulk Qty	
-248	3/4	\$5.05	100	3000	\$4.31	5000	8.1	-278	3/4	-	-	-	-	-	11.5
-249	7/8	-	-	-	-	-	8.9	-279	7/8	-	-	-	-	-	12.6
-250	1"	6.19	100	3000	5.15	4000	9.0	-280	1"	\$8.18	100	2000	\$7.25	4000	10.9
-252	1-1/4	6.87	100	2000	6.43	4000	11.0	-282	1-1/4	9.06	100	2000	7.93	3000	13.7
-254	1-1/2	8.08	100	2000	6.57	3000	13.0	-284	1-1/2	10.41	100	1600	8.91	2500	16.5
-256	1-3/4	8.92	100	2000	7.30	3000	14.7	-286	1-3/4	12.03	100	1600	10.56	2000	18.5
-257	2"	9.76	100	1600	8.48	2500	17.4	-287	2"	12.76	100	1200	11.17	2000	21.3
-258	2-1/4	10.82	100	1600	9.19	2000	19.2	-288	2-1/4	-	-	-	-	-	24.7
-259	2-1/2	11.73	100	800	10.24	1500	22.4	-289	2-1/2	15.81	100	800	13.64	1500	26.8
-261	3"	14.31	100	800	12.16	1000	26.3	-291	3"	19.59	100	600	18.03	1000	32.1
-263	3-1/2	19.14	100	600	15.11	1000	31.1	-293	3-1/2	24.63	100	600	21.09	800	37.7
-265	4"	22.55	100	600	17.88	800	34.1	-295	4"	29.30	100	600	24.49	500	42.9
No. 3 'Loxxon' Square Socket Bit or Black Handle Driver								No. 3 'Loxxon' Square Socket Bit or Black Handle Driver							

Note: Please use Series and Size No. when ordering:

Example: 10 x 2 Round 'Loxxon'® Head Steel Wood Screws Plated

Series Size No.

Case - **198** -200
Bulk - **B198** -200

Stock Sizes are shown in **HEAVY** type.

Other Head Styles, Drives and Materials: Price on Application.


For Brass Wood Screws see our non-ferrous Catalogue CRF-998.

FLAT SQUARE/PHILLIPS HEAD WOOD SCREWS

COARSE THREAD
SQUARE /PHILLIPS DRIVE
Bare Lubricated or Zinc Plated

1972
Bare
Lub.


1970
Zinc
Plated



1970
1972



B1970
B1972



LIST PRICE PER 100 PIECES

No. 6 DIA.

Size	No.	Length Overall Inches	PACKAGED		Pkg	Qty	Case	Qty	BULK		Bulk Qty	Approx. Weight 1000 Pcs.
			Bare & Lubricated	Plated					Bare & Lubricated	Plated		
			1972	1970					B1972	B1970		
- 087		1/2	\$2.89	\$3.47	100	7500			\$1.61	\$1.87	25000	2.2
- 088		5/8	2.98	3.44	100	7500			1.82	2.10	20000	2.5
- 089		3/4	3.10	3.70	100	7500			2.06	2.47	15000	2.4
- 091		1	3.83	3.98	100	7500			2.69	2.79	10000	3.2
- 093		1-1/4	-	-	-	-			-	-	-	-
- 095		1-1/2	5.03	5.67	100	4500			3.67	4.13	7500	5.3
- 098		2	-	-	-	-			-	-	-	-

No. 1 Phillips / No. 1 Square Socket Bit or Green Handle Driver / No. 1 Quadrex

No. 8 DIA.

Size	No.	Length Overall Inches	PACKAGED		Pkg	Qty	Case	Qty	BULK		Bulk Qty	Approx. Weight 1000 Pcs.
			Bare & Lubricated	Plated					Bare & Lubricated	Plated		
			1972	1970					B1972	B1970		
- 137		1/2	\$3.90	\$4.51	100	7500			\$2.69	\$3.10	15000	3.3
- 138		5/8	4.15	4.62	100	7500			2.85	3.17	15000	3.8
- 139		3/4	4.48	4.75	100	7500			3.10	3.29	15000	4.2
- 141		1	4.93	4.82	100	4500			3.48	3.56	10000	4.9
- 143		1-1/4	5.01	5.36	100	4500			3.86	4.15	7500	6.2
- 145		1-1/2	5.21	5.97	100	3000			4.13	4.73	6000	7.4
- 147		1-3/4	6.07	6.82	100	2000			4.90	5.51	5000	8.7
- 148		2	6.92	8.26	100	2000			5.50	6.57	4000	9.6
- 150		2-1/2	7.22	10.40	100	1600			7.22	8.12	2500	11.7
- 152		3	9.51	12.20	100	800			9.51	9.89	1000	14.9

No. 2 Phillips / No. 2 Square Socket Bit or Red Handle Driver / No. 2 Quadrex

No. 10 DIA.

Size	No.	Length Overall Inches	PACKAGED		Pkg	Qty	Case	Qty	BULK		Bulk Qty	Approx. Weight 1000 Pcs.
			Bare & Lubricated	Plated					Bare & Lubricated	Plated		
			1972	1970					B1972	B1970		
- 189		1/2	\$3.97	\$4.34	100	7500			\$3.62	\$3.97	10000	4.6
- 191		3/4	4.30	4.72	100	4500			3.88	4.30	10000	5.9
- 193		1	4.66	5.36	100	4500			4.54	4.66	7500	6.6
- 197		1-1/2	5.04	6.51	100	2000			5.04	5.61	5000	10.0
- 199		1-3/4	5.70	7.62	100	2000			5.70	6.73	4000	11.4
- 200		2	6.39	8.99	100	2000			6.39	8.05	3000	12.6
- 202		2-1/2	9.09	10.82	100	1200			9.09	9.74	2000	16.3
- 204		3	10.60	12.51	100	800			10.60	11.23	1500	20.1
- 206		3-1/2	12.42	15.36	100	800			12.42	13.81	1000	22.2
- 208		4	16.13	19.69	100	800			16.13	17.77	800	24.3

No. 2 Phillips / No. 2 Square Socket Bit or Red Handle Driver / No. 2 Quadrex

H6R

Paulin

H. Paulin & Co., a division of The Hillman Group Canada ULC

Revised March 13, 2009


TAPPING SCREWS



208	Pan Head Square Drive Type 'A' Tapping Screws - Zinc	11
209	Flat Head Square Drive Type 'A' Tapping Screws - Zinc	12
210	Truss Head Square Drive Type 'A' Tapping Screws - Zinc	13
213	Indented Hex Washer Head Type 'A' Tapping Screws - Zinc	14
229	Pan Head Phillips Drive Type 'A' Tapping Screws - Zinc	15
232	Pan Head Square Drive 'Drill-X®' Self Drilling Screws - Zinc	16
232	Pan Head Phillips Drive 'Drill-X®' Self Drilling Screws - Zinc	16
232	Indented Hex Washer Head 'Drill-X®' Self Drilling Screws - Zinc	17
232	Wafer Head Square Drive 'Drill-X®' Self Drilling Screws - Zinc	18
232	Wafer Head Reamer Square Drive 'Drill-X®' Self Drilling Screws - Zinc	18
214	Pan Head Square Drive 'Spee-Drill®' Type 'S' Screws - Zinc	19
222	Indented Hex Washer Head Square Drive 'Spee-Drill®' Type 'S' Screws - Zinc	19

AVAILABLE IN THE FOLLOWING PACKAGES:


BULK PACKING



CONTRACTOR PACKAGING



PACKAGE/CASE PACKING



PAN 'LOXXON®' HEAD STEEL TAPPING SCREWS "TYPE A"

208*
Pan
Head

SQUARE SOCKET DRIVE
Zinc Plated



Also available in selected
sizes in Fast-Pac® jars
See section 'O'



LIST PRICE PER 100 PIECES

No. 4 DIA.							No. 6 DIA.						
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			Approx Weight 1000 Pcs.
		208	Pkg Qty	Case Qty	B208	Bulk Qty				208	Pkg Qty	Case Qty	
-039	1/4	\$1.70	100	7500	\$1.20	25000	1.0	-083	1/4	\$1.82	100	7500	1.4
-041	3/8	1.74	100	7500	1.22	25000	1.1	-085	3/8	1.95	100	7500	1.9
-043	1/2	2.01	100	7500	1.40	25000	1.2	-087	1/2	2.14	100	7500	2.2
-044	5/8	2.21	100	7500	1.53	25000	1.5	-088	5/8	2.43	100	7500	2.5
-045	3/4	2.42	100	7500	1.71	25000	1.9	-089	3/4	2.64	100	7500	2.9
-046	7/8	-	-	-	-	-	2.1	-090	7/8	-	-	-	3.2
-047	1	2.63	100	7500	1.83	15000	2.3	-091	1	3.43	100	4500	3.6
-049	1-1/4	-	-	-	-	-	-	-093	1-1/4	4.21	100	4500	4.3
-051	1-1/2	-	-	-	-	-	-	-095	1-1/2	5.09	100	3000	5.0
No. 0 'Loxxon' Square Socket Bit or Yellow Handle Driver							No. 1 'Loxxon' Square Socket Bit or Green Handle Driver						
No. 8 DIA.							No. 10 DIA.						
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			Approx Weight 1000 Pcs.
		208	Pkg Qty	Case Qty	B208	Bulk Qty				208	Pkg Qty	Case Qty	
-135	3/8	\$2.18	100	7500	\$1.63	15000	2.8	-187	3/8	\$2.85	100	7500	4.3
-137	1/2	2.50	100	7500	1.85	15000	3.3	-189	1/2	3.03	100	7500	4.8
-138	5/8	2.81	100	7500	2.01	12000	3.8	-190	5/8	3.54	100	4500	5.4
-139	3/4	3.23	100	4500	2.38	10000	4.2	-191	3/4	3.93	100	4500	5.9
-140	7/8	3.39	100	4500	2.83	10000	4.7	-192	7/8	-	-	-	6.5
-141	1	3.53	100	4500	2.94	8000	5.2	-193	1	4.31	100	3000	7.1
-143	1-1/4	4.31	100	3000	3.39	7000	6.2	-195	1-1/4	5.19	100	3000	8.3
-145	1-1/2	4.99	100	3000	3.82	5000	7.2	-197	1-1/2	5.64	100	2000	9.5
-147	1-3/4	5.82	100	2000	4.21	4000	8.1	-199	1-3/4	7.12	100	2000	10.7
-148	2	6.71	100	2000	4.83	4000	9.0	-200	2	8.06	100	1600	11.9
-150	2-1/2	11.04	100	1600	9.31	2500	12.9	-202	2-1/2	11.95	100	1200	16.6
-152	3	13.09	100	1200	11.12	1500	15.0	-204	3	15.43	100	800	19.4
								-206	3-1/2	22.26	100	600	22.2
								-208	4	29.70	100	600	25.0
No. 2 'Loxxon' Square Socket Bit or Red Handle Driver							No. 2 'Loxxon' Square Socket Bit or Red Handle Driver						
No. 12 DIA.							No. 14 DIA.						
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			Approx Weight 1000 Pcs.
		208	Pkg Qty	Case Qty	B208	Bulk Qty				208	Pkg Qty	Case Qty	
-244	3/8	-	-	-	-	-	-	-274	3/8	-	-	-	-
-246	1/2	\$4.17	100	4500	\$3.43	10000	6.6	-276	1/2	\$5.88	100	3000	9.4
-247	5/8	4.46	100	4500	3.66	8000	7.3	-277	5/8	6.67	100	3000	10.5
-248	3/4	4.58	100	3000	3.83	7500	8.1	-278	3/4	7.19	100	3000	11.5
-249	7/8	-	-	-	-	-	8.9	-279	7/8	-	-	-	12.6
-250	1	5.97	100	3000	5.45	5000	9.7	-280	1	8.21	100	2000	13.7
-252	1-1/4	6.65	100	2000	6.17	4000	11.5	-282	1-1/4	9.50	100	2000	15.9
-254	1-1/2	7.59	100	2000	7.32	3000	13.2	-284	1-1/2	10.76	100	1600	18.1
-256	1-3/4	-	-	-	-	-	14.8	-286	1-3/4	-	-	-	20.4
-257	2	10.57	100	1600	8.54	2000	16.4	-287	2	13.49	100	1200	22.5
No. 3 'Loxxon' Square Socket Bit or Black Handle Driver							No. 3 'Loxxon' Square Socket Bit or Black Handle Driver						

* Also available in Bulk **B2092** Oval Head Socket Tapping Screws Plated

Stock Sizes are shown in **HEAVY** type.
December 1st, 2009





H. Paulin & Co., a division of The Hillman Group Canada ULC

11R

FLAT `LOXXON®` HEAD STEEL TAPPING SCREWS "TYPE A"

209*
Flat
Head

SQUARE SOCKET DRIVE
Zinc Plated



LIST PRICE PER 100 PIECES

No. 4 DIA.								No. 6 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.
		209	Pkg Qty	Case Qty	B209	Bulk Qty				209	Pkg Qty	Case Qty	B209	Bulk Qty	
-041	3/8	\$1.74	100	7500	\$1.21	25000	1.1	-085	3/8	\$1.94	100	7500	\$1.45	25000	1.9
-043	1/2	1.85	100	7500	1.31	25000	1.2	-087	1/2	2.06	100	7500	1.53	20000	2.2
-044	5/8	1.87	100	7500	1.40	25000	1.5	-088	5/8	2.26	100	7500	1.65	15000	2.5
-045	3/4	2.17	100	7500	1.55	25000	1.9	-089	3/4	2.38	100	7500	1.82	15000	2.9
-046	7/8	-	-	-	-	-	2.1	-090	7/8	-	-	-	-	-	3.2
-047	1	2.47	100	7500	1.77	15000	2.3	-091	1	2.81	100	7500	2.12	10000	3.6
-049	1-1/4	-	-	-	-	-	-	-093	1-1/4	3.36	100	4500	2.28	10000	4.3
-051	1-1/2	-	-	-	-	-	-	-095	1-1/2	4.02	100	4500	2.82	7500	5.0
No. 0 `Loxxon` Square Socket Bit or Yellow Handle Driver								No. 1 `Loxxon` Square Socket Bit or Green Handle Driver							
No. 8 DIA.								No. 10 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.
		209	Pkg Qty	Case Qty	B209	Bulk Qty				209	Pkg Qty	Case Qty	B209	Bulk Qty	
-137	1/2	\$2.55	100	7500	\$1.99	15000	3.3	-189	1/2	\$3.46	100	7500	\$2.58	10000	4.8
-138	5/8	2.79	100	7500	2.09	12000	3.8	-190	5/8	3.70	100	4500	2.90	10000	5.4
-139	3/4	3.28	100	7500	2.43	10000	4.2	-191	3/4	4.37	100	4500	3.31	8000	5.9
-140	7/8	-	-	-	-	-	4.7	-192	7/8	-	-	-	-	-	6.5
-141	1	3.89	100	4500	2.78	8000	5.2	-193	1	4.87	100	4500	3.66	6000	7.1
-143	1-1/4	4.51	100	4500	3.12	7000	6.2	-195	1-1/4	5.42	100	3000	4.03	5000	8.3
-145	1-1/2	5.19	100	3000	3.49	5000	7.2	-197	1-1/2	6.36	100	2000	4.82	4000	9.5
-147	1-3/4	-	-	-	-	-	8.1	-199	1-3/4	-	-	-	-	-	10.7
-148	2	6.46	100	2000	4.49	4000	9.0	-200	2	8.41	100	2000	6.51	3000	11.9
-150	2-1/2	-	-	-	-	-	-								
-152	3	-	-	-	-	-	-								
No. 2 `Loxxon` Square Socket Bit or Red Handle Driver								No. 2 `Loxxon` Square Socket Bit or Red Handle Driver							
No. 12 DIA.								No. 14 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.
		209	Pkg Qty	Case Qty	B209	Bulk Qty				209	Pkg Qty	Case Qty	B209	Bulk Qty	
-244	3/8	-	-	-	-	-	-	-274	3/8	-	-	-	-	-	-
-246	1/2	\$5.28	100	7500	\$4.20	10000	6.6	-276	1/2	\$7.65	100	3000	\$5.86	6000	9.4
-247	5/8	5.85	100	-	4.61	8000	7.3	-277	5/8	8.18	100	3000	6.48	5000	10.5
-248	3/4	6.06	100	4500	4.79	7500	8.1	-278	3/4	8.39	100	3000	6.69	5000	11.5
-249	7/8	-	-	-	-	-	8.9	-279	7/8	-	-	-	-	-	12.6
-250	1	7.19	100	3000	5.62	5000	9.7	-280	1	9.67	100	2000	7.51	3500	13.7
-252	1-1/4	8.37	100	2000	6.53	4000	11.5	-282	1-1/4	11.14	100	2000	8.80	3000	15.9
-254	1-1/2	9.69	100	2000	7.62	3000	13.2	-284	1-1/2	13.22	100	1600	10.13	2500	18.1
-256	1-3/4	-	-	-	-	-	14.8	-286	1-3/4	-	-	-	-	-	20.4
-257	2	-	-	-	-	-	16.4	-287	2	15.56	100	1200	12.11	1500	22.5
No. 3 `Loxxon` Square Socket Bit or Black Handle Driver								No. 3 `Loxxon` Square Socket Bit or Black Handle Driver							

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 6 x 3/4 Flat `Loxxon®` Head Steel Tapping Screws "TYPE A" Plated

Series Size No.

Case - 209 -089
Bulk - B209 -089

* Also available in Bulk

B2092

Oval Head Socket Tapping Screws Plated.

B2096


Oval Head Phillips Tapping Screws Plated.

July 21st, 2008

TRUSS `LOXXON®` HEAD STEEL TAPPING SCREWS "TYPE A"

210
Truss
Head

SQUARE SOCKET DRIVE
Zinc Plated



Also available in selected
sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

No. 6 DIA.								No. 8 DIA.							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		210	Pkg Qty	Case Qty	B210	Bulk Qty				210	Pkg Qty	Case Qty	B210	Bulk Qty	
-085	3/8	\$1.94	100	7500	\$1.49	25000	1.9	-135	3/8	\$4.01	100	7500	\$3.01	15000	2.8
-087	1/2	2.06	100	7500	1.55	20000	2.2	-137	1/2	4.17	100	7500	3.04	15000	3.3
-088	5/8	2.26	100	7500	1.70	15000	2.5	-138	5/8	4.26	100	7500	3.10	12000	3.8
-089	3/4	2.67	100	7500	2.01	15000	2.9	-139	3/4	4.40	100	4500	3.16	10000	4.2
-090	7/8	-	-	-	-	-	3.2	-140	7/8	-	-	-	-	-	4.7
-091	1	3.53	100	4500	2.46	10000	3.6	-141	1	4.56	100	4500	3.33	8000	5.2
-093	1-1/4	3.82	100	4500	2.67	7500	4.3	-143	1-1/4	5.26	100	3000	3.77	7000	6.2
-095	1-1/2	-	-	-	-	-	5.0	-145	1-1/2	5.83	100	3000	4.70	4000	7.2

No. 1 `Loxon` Square Socket Bit or Green Handle Driver

No. 2 `Loxon` Square Socket Bit or Red Handle Driver

No. 10 DIA.							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		210	Pkg Qty	Case Qty	B210	Bulk Qty	
-187	3/8	-	-	-	-	-	4.3
-189	1/2	\$5.36	100	4500	\$4.33	10000	4.8
-190	5/8	5.40	100	4500	4.50	10000	5.4
-191	3/4	5.43	100	4500	4.58	8000	5.9
-192	7/8	-	-	-	-	-	6.5
-193	1	5.48	100	3000	4.67	6000	7.1
-195	1-1/4	6.53	100	2000	5.36	5000	8.3
-197	1-1/2	7.55	100	2000	6.08	4000	9.5
-199	1-3/4	-	-	-	-	-	10.7
-200	2	9.64	100	1600	7.78	3000	11.9

No. 2 `Loxon` Square Socket Bit or Red Handle Driver

Stock Sizes are shown in **HEAVY** type.

Note: Please use Series and Size No. when ordering:

Example: 8 x 1 Truss `Loxon®` Head Steel Tapping Screws "TYPE A" Plated

Series Size No.

Case - **210** -141

Bulk - **B210** -141

Other Head Styles, Drives and Materials: Price on Application.


INDENTED HEX WASHER HEAD STEEL TAPPING SCREWS

"TYPE A"

213

Hex
Head


SLOT DRIVE
Zinc Plated



213



B213



No. 6 DIA.							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		213	Pkg Qty	Case Qty	B213	Bulk Qty	
-086	7/16	\$4.62	100	7500	\$3.66	15000	2.6

Wrench opening (maximum width across flats) - 1/4" see Note 1.

LIST PRICE PER 100 PIECES

No. 8 DIA.								No. 10 DIA.							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		213	Pkg Qty	Case Qty	B213	Bulk Qty				213	Pkg Qty	Case Qty	B213	Bulk Qty	
-135	3/8	-	-	-	\$3.25	15000	3.1	-187	3/8	\$5.95	100	7500	\$4.64	10000	4.1
-136	9/16	-	-	-	-	-	4.2	-189	1/2	6.22	100	4500	4.87	10000	5.3
-137	1/2	\$4.67	100	7500	3.65	15000	3.6	-190	5/8	6.58	100	4500	5.13	8000	5.4
-138	5/8	-	-	-	3.93	12000	4.2	-191	3/4	6.92	100	4500	5.40	8000	6.5
-139	3/4	5.28	100	4500	4.10	12000	4.6	-192	7/8	-	-	-	-	-	-
-140	7/8	-	-	-	-	-	-	-193	1	7.68	100	3500	5.99	6000	7.3
-141	1	5.82	100	4500	4.61	8000	5.7	-195	1-1/4	8.49	100	3200	6.63	4000	8.4
-143	1-1/4	6.12	100	3000	5.27	6000	6.8	-197	1-1/2	9.47	100	1600	7.40	4000	9.6
-145	1-1/2	6.57	100	4000	5.64	6000	7.9	-199	1-3/4	-	-	-	8.70	3000	10.7
-147	1-3/4	-	-	-	7.03	4000	8.2	-200	2	12.17	100	1600	9.51	2000	12.2
-148	2	-	-	-	8.19	3000	10.0								

Wrench opening (maximum width across flats) - 1/4" see Note 1.

Wrench opening (maximum width across flats) - 5/16"

No. 12 DIA.								No. 14 DIA.							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		213	Pkg Qty	Case Qty	B213	Bulk Qty				213	Pkg Qty	Case Qty	B213	Bulk Qty	
-246	1/2	\$8.42	100	3000	\$6.56	5000	7.0	-276	1/2	\$10.31	100	2000	\$8.34	4000	10.4
-247	5/8	-	-	-	-	-	-	-277	5/8	10.99	100	2000	8.88	2000	11.1
-248	3/4	9.42	100	3000	7.34	6000	9.0	-278	3/4	11.39	100	2000	9.21	2000	12.7
-249	7/8	-	-	-	-	-	-	-279	7/8	-	-	-	-	-	-
-250	1	10.53	100	3500	8.21	5000	10.7	-280	1	12.66	100	1600	9.89	2000	15.0
-252	1-1/4	-	-	-	8.97	4000	13.2	-282	1-1/4	13.20	100	1600	10.28	2000	16.9
-254	1-1/2	12.08	100	2000	9.44	4000	14.5	-284	1-1/2	14.79	100	1600	11.54	2000	20.0
-256	1-3/4	-	-	-	10.59	3000	14.6	-286	1-3/4	-	-	-	13.31	1800	21.5
-257	2	-	-	-	11.44	2000	18.2	-287	2	17.13	100	1200	13.83	1800	24.2

Wrench opening (maximum width across flats) - 5/16" see Note 2.

Wrench opening (maximum width across flats) - 7/16" see Note 3.

5/16 DIA.								3/8 DIA.							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		213	Pkg Qty	Case Qty	B213	Bulk Qty				213	Pkg Qty	Case Qty	B213	Bulk Qty	
-442	3/4	\$26.02	100	1600	\$19.68	2500	21.0	-485	1/2	-	100	-	\$35.83	1800	32.5
-443	7/8	-	-	-	-	-	-	-486	5/8	-	-	-	-	-	-
-444	1	29.01	50	1000	22.37	2000	24.5	-487	3/4	-	100	800	37.71	1200	36.0
-446	1-1/4	35.94	100	1200	27.66	1400	26.4	-489	1	47.10	100	800	40.32	1000	42.0
-448	1-1/2	36.58	100	800	28.24	1200	30.0	-493	1-1/2	55.49	100	600	42.90	800	46.0

Wrench opening (maximum width across flats) - 1/2"

Wrench opening (maximum width across flats) - 9/16"

Note: Please use Series and Size No. when ordering:
Example: 14 x 1-1/2 Indented Hex Washer Head

Stock Sizes are shown in **HEAVY** type.

Steel Tapping Screws Plated.

Series Size No.

Case - 213 -284
Bulk - B213 -284

Note 1: Regular Hex dimension shown; 5/16" Large Hex - P.O.A.

Note 2: Regular Hex dimension shown; 3/8" Large Hex - P.O.A.

Note 3: Large Hex dimension shown; 3/8" Regular Hex - P.O.A.

February 2nd, 2009

I4R

Paulin

H. Paulin & Co., a division of The Hillman Group Canada ULC

PAN PHILLIPS HEAD STEEL TAPPING SCREWS "TYPE A"

229*
Pan
Head

Zinc Plated



LIST PRICE PER 100 PIECES

No. 6 DIA.								No. 8 DIA.							
Size No.	Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.
		229	Pkg Qty	Case Qty	B229	Bulk Qty				229	Pkg Qty	Case Qty	B229	Bulk Qty	
-108	3/8	\$2.73	100	7500	\$2.09	25000	1.9	-119	3/8	\$3.81	100	7500	\$2.92	15000	2.8
-110	1/2	3.06	100	7500	2.38	20000	2.2	-120	1/2	4.12	100	7500	3.16	15000	3.3
-111	5/8	3.41	100	7500	2.63	15000	2.5	-121	5/8	4.66	100	7500	3.56	12000	3.8
-112	3/4	3.78	100	7500	2.92	15000	2.9	-122	3/4	5.15	100	4500	3.96	10000	4.2
-114	1	4.73	100	4500	3.64	10000	3.6	-124	1	6.05	100	4500	4.65	8000	5.2
-115	1-1/4	6.11	100	4500	4.70	10000	4.3	-125	1-1/4	7.87	100	3000	6.06	7000	6.2
-116	1-1/2	7.97	100	3000	6.16	7500	5.0	-126	1-1/2	9.01	100	3000	6.93	5000	7.2
-118	2	13.93	100	2000	10.71	5000	6.3	-128	2	13.09	100	2000	10.07	4000	9.0
No. 2 Phillips Bit or Driver								No. 2 Phillips Bit or Driver							
No. 10 DIA.								No. 12 DIA.							
Size No.	Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.
		229	Pkg Qty	Case Qty	B229	Bulk Qty				229	Pkg Qty	Case Qty	B229	Bulk Qty	
-139	3/8	\$5.92	100	7500	\$4.55	15000	4.3	-159	3/8	-	-	-	-	-	5.7
-140	1/2	6.42	100	7500	4.92	10000	4.8	-160	1/2	\$8.82	100	4500	\$6.79	10000	6.6
-141	5/8	6.55	100	4500	5.03	10000	5.4	-161	5/8	10.56	100	4500	8.13	8000	7.3
-142	3/4	6.71	100	4500	5.15	8000	5.9	-162	3/4	10.45	100	3000	8.05	7500	8.1
-144	1	8.82	100	3000	6.78	6000	7.1	-164	1	11.74	100	2000	9.04	5000	9.7
-145	1-1/4	10.45	100	2000	8.05	5000	8.3	-165	1-1/4	14.49	100	2000	11.15	4000	11.5
-146	1-1/2	11.74	100	2000	9.04	4000	9.5	-166	1-1/2	16.39	100	1600	12.61	3000	13.2
-148	2	15.74	100	1600	12.11	3000	11.9	-168	2	19.32	100	1600	14.86	2000	16.4
No. 2 Phillips Bit or Driver								No. 3 Phillips Bit or Driver							
No. 14 DIA.															
Size No.	Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.
		229	Pkg Qty	Case Qty	B229	Bulk Qty				229	Pkg Qty	Case Qty	B229	Bulk Qty	
-182	3/4	\$14.94	100	3000	\$11.49	5000	11.5								
-184	1	16.42	100	2000	12.60	3500	13.7								
-185	1-1/4	20.71	100	2000	15.92	3000	15.9								
-186	1-1/2	23.45	100	1600	18.05	2500	18.1								
-188	2	28.95	100	800	22.28	1500	22.5								
No. 3 Phillips Bit or Driver															

Note: Please use Series and Size No. when ordering:

Example: 10 x 3/4 Pan Phillips Head Steel Tapping Screws Plated

Series Size No.

Case - 229 -142

Bulk - B229 -142

Stock Sizes are shown in **HEAVY** type.

* Also available in Bulk **B2095** Round Head Phillips Tapping Screws Plated.

B2098 Truss Head Phillips Tapping Screws Plated.

July 21st, 2008




H. Paulin & Co., a division of The Hillman Group Canada ULC


'DRILL-X'® SELF-DRILLING TAPPING SCREWS

Zinc Plated

232
Series



Drill Point length determines maximum metal thickness drillable.
#2 Point up to .110 Thick #3 Point up to .250 Thick




Self-Drilling and Tapping Screws are made of high-quality steel and are specially heat treated. The drill point has been incorporated into the screw in the familiar twist drill design. These screws drill their own hole - form mating threads - fasten securely and can be used in steel, plastics, composite materials, wood plus various laminates. Determine total thickness of the material to be drilled then choose No. 2 or No. 3 point to allow complete drilling.

232



B232



Also available in selected sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

PAN PHILLIPS HEAD ⊕

Size No.	Dia. X Length Under Head Inches	CASE			BULK		Drill Point	Max-Metal Drillable (B)	Grip (G)	Driver	Approx. Weight 1000 pcs.
		232	Pkg Qty	Case Qty	B232	Bulk Qty					
-010	6 x 3/8	\$2.84	100	7500	\$2.33	25000	No. 2	.090	11/64	No. 2	2.2
-011	6 x 1/2	2.79	100	7500	2.28	20000	No. 2	.090	17/64	No. 2	2.4
-013	8 x 1/2	3.12	100	7500	2.60	15000	No. 2	.100	1/4	No. 2	3.4
-014	8 x 5/8	3.46	100	7500	2.94	15000	No. 2	.100	3/8	No. 2	4.0
-015	8 x 3/4	3.70	100	7500	3.14	10000	No. 2	.100	1/2	No. 2	4.6
-016	8 x 1	4.30	100	4500	3.68	7500	No. 2	.100	3/4	No. 2	6.0
-020	10 x 1/2	3.82	100	7500	3.25	12000	No. 2	.110	15/64	No. 2	5.4
-021	10 x 5/8	4.54	100	4500	3.87	10000	No. 3	.175	9/32	No. 2	5.8
-022	10 x 3/4	4.67	100	4500	3.97	9000	No. 3	.175	13/32	No. 2	6.2
-024	10 x 1	5.55	100	4500	4.66	7500	No. 3	.175	21/32	No. 2	7.0

PAN 'LOXXON'® (SOCKET) HEAD ◼

- 030	6 x 3/8	\$2.75	100	7500	\$2.26	25000	No. 2	.090	11/64	No. 2	2.2
- 031	6 x 1/2	2.79	100	7500	2.28	20000	No. 2	.090	17/64	No. 2	2.4
- 032	8 x 1/2	3.12	100	7500	2.60	15000	No. 2	.100	1/4	No. 2	3.4
- 033	8 x 5/8	3.40	100	7500	2.85	15000	No. 2	.100	3/8	No. 2	4.0
- 034	8 x 3/4	3.64	100	4500	3.09	10000	No. 2	.100	1/2	No. 2	4.6
- 035	8 x 1	4.16	100	4500	3.56	7500	No. 2	.100	3/4	No. 2	6.0
- 040	8 x 1-1/4	4.77	100	3000	4.03	5000	No. 2	.100	1"	No. 2	7.1
- 036	8 x 1-1/2	5.11	100	3000	4.26	4000	No. 2	.100	1-1/4	No. 2	7.8
- 041	8 x 2	7.75	100	2000	6.36	3000	No. 2	.100	1-3/4	No. 2	9.0
- 037	10 x 1/2	3.82	100	7500	3.25	12000	No. 2	.110	15/64	No. 2	5.4
- 038	10 x 5/8	4.33	100	4500	3.68	10000	No. 3	.175	9/32	No. 2	5.4
- 039	10 x 3/4	4.67	100	4500	3.97	9000	No. 3	.175	13/32	No. 2	6.2
- 044	10 x 1	5.55	100	3000	4.66	5000	No. 2	.175	21/32	No. 3	7.0
- 045	10 x 1-1/4	6.45	100	3000	5.38	5000	No. 2	.175	29/32	No. 3	8.3
- 046	10 x 1-1/2	7.14	100	2000	5.95	3000	No. 2	.175	1-3/16	No. 3	9.8
- 048	10 x 2	9.58	100	1600	7.97	3000	No. 2	.175	1-11/16	No. 3	12.5

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 8 x 3/4 Pan 'Loxxon'® Drill-X® Self Drilling Tapping Screws Plated

Series Size No.

Case - **232** -034



Bulk - **B232** -034

July 21st, 2008

'DRILL-X'® SELF-DRILLING TAPPING SCREWS

Zinc Plated

232
Series




Drill Point length determines maximum metal thickness drillable.
#2 Point up to .110 Thick #3 Point up to .250 Thick

Self-Drilling and Tapping Screws are made of high-quality steel and are specially heat treated. The drill point has been incorporated into the screw in the familiar twist drill design. These screws drill their own hole - form mating threads - fasten securely and can be used in steel, plastics, composite materials, wood plus various laminates. Determine total thickness of the material to be drilled then choose No. 2 or No. 3 point to allow complete drilling.

232



B232



LIST PRICE PER 100 PIECES

HEX WASHERS HEAD 											
Size No.	Dia. X Length Under Head Inches	CASE			BULK		Drill Point	Max-Metal Drillable (B)	Grip (G)	Driver	Approx. Weight 1000 pcs.
		232	Pkg Qty	Case Qty	B232	Bulk Qty					
- 070	6 x 1/2	\$2.81	100	7500	\$2.15	15000	No. 2	.100	3/16	3/16	3.6
- 071	8 x 1/2	3.26	100	7500	2.62	15000	No. 2	.100	1/4	1/4	4.2
- 072	8 x 5/8	3.59	100	7500	3.06	10000	No. 2	.100	3/8	1/4	4.8
- 073	8 x 3/4	3.89	100	4500	3.29	10000	No. 2	.100	1/2	1/4	5.4
- 074	8 x 1	4.51	100	4500	4.14	7500	No. 2	.100	3/4	1/4	6.4
- 075	8x1-1/4	5.22	100	3000	4.78	6000	No. 2	.100	1	1/4	6.8
- 076	8x1-1/2	6.44	100	3000	5.26	5000	No. 2	.100	1-1/4	1/4	7.2
- 077	8x2	7.94	100	2000	6.51	3000	No. 2	.100	1-3/4	1/4	7.8
- 078	10 x 1/2	4.28	100	4500	3.70	10000	No. 2	.175	15/64	5/16	6.0
- 079	10 x 5/8	4.75	100	4500	4.14	10000	No. 3	.175	9/32	5/16	6.2
- 080	10 x 3/4	5.27	100	4500	4.39	7500	No. 3	.175	13/32	5/16	7.4
- 082	10 x 1	5.84	100	3000	5.50	5000	No. 3	.175	21/32	5/16	8.0
- 083	10 x 1-1/4	6.67	100	3000	6.70	4000	No. 3	.175	29/32	5/16	9.6
- 084	10 x 1-1/2	7.64	100	2000	7.45	3000	No. 3	.175	1-3/16	5/16	12.0
- 085	10x2	11.00	100	1200	8.99	2000	No. 3	.210	1-11/16	5/16	12.5
- 086	12 x 3/4	7.17	100	3000	6.11	5000	No. 3	.210	23/64	5/16	9.3
- 087	12 x 1	8.33	100	2000	7.86	4000	No. 3	.210	37/64	5/16	12.0
- 101	12 x 1-1/4	9.45	100	2000	7.74	4000	No. 3	.210	37/64	5/16	13.3
- 088	12 x 1-1/2	10.81	100	2000	8.82	3000	No. 3	.210	37/64	5/16	14.2
- 089	12 x 2	14.37	100	1600	11.66	2500	No. 3	.210	37/64	5/16	16.5
- 090	12x2-1/2	18.29	100	800	14.98	1500	No. 3	.210	1-3/4	5/16	19.7
- 091	12x3	21.79	100	800	17.84	1000	No. 3	.210	2-3/4	5/16	22.4
- 092	14 x 3/4	10.39	100	2000	8.48	4000	No. 3	.250	19/64	3/8	14.0
- 093	14 x 1	12.26	100	2000	10.04	3000	No. 3	.250	35/64	3/8	16.0
- 094	14x1-1/4	12.35	100	1600	11.07	2000	No. 3	.250	1	3/8	17.0
- 095	14 x 1-1/2	13.16	100	1600	11.76	2000	No. 3	.250	35/64	3/8	19.0
- 097	14x2	16.19	100	1200	14.49	1800	No. 3	.250	1-1/4	3/8	24.0
- 098	14x2-1/2	17.31	100	600	15.38	1200	No. 3	.250	2-1/4	3/8	29.0
- 099	14x3	20.42	100	600	18.15	1000	No. 3	.250	2-3/4	3/8	34.0
- 100	14x4	36.52	100	600	29.97	800	No. 3	.250	3-3/4	3/8	38.0

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 8 x 3/4 Hex Washer Head Self Drilling Tapping Screws Plated

Series Size No.



Case - **232** -073

Bulk - **B232** -073

'DRILL-X'® SELF-DRILLING WAFER "LOXXON"® HEAD TAPPING SCREWS

SQUARE SOCKET DRIVE
Zinc Plated

232
Series



LIST PRICE PER 100 PIECES

WAFER SOCKET HEAD

Size No.	Dia. X Length Under Head Inches	CASE			BULK		Drill Point	Max-Metal Drillable (B)	Grip (G)	Driver	Approx. Weight 1000 pcs.
		232	Pkg Qty	Case Qty	B232	Bulk Qty					
- 222	10-24 x 3/4	\$6.20	100	4500	\$5.14	7500	No. 3	.175	13/32	No. 2	5.6
- 224	10-24x1	7.42	100	3000	6.04	5000	No. 3	.175	21/32	No. 2	7.2
- 225	10-24 x 1-1/4	8.65	100	2000	7.02	4000	No. 3	.175	29/32	No. 2	8.7
- 226	10-24 x 1-1/2	9.94	100	2000	7.98	3000	No. 3	.175	1-3/16	No. 2	10.3
- 235	12-24 x 2	17.79	100	1200	13.94	2500	No. 4	.210	1-3/4	No. 3	19.3
- 237	12-24 x 2-1/2	19.70	100	1200	15.36	1800	No. 4	.210	1-3/4	No. 3	19.3
- 238	12-24 x 3	23.01	100	800	18.92	1300	No. 4	.210	2-3/4	No. 3	22.0
- 240	12-24 x 4	35.96	100	600	29.50	600	No. 4	.210	3-3/4	No. 3	33.8

Note: Please use Series and Size No. when ordering:



Stock Sizes are shown in **HEAVY** type.

Example: 10-24 x 3/4 Drill-x® Self-drilling Wafer "LOXXON"®
Head Tapping Screws Plated
Series Size No.
Case - **232** -222
Bulk - **B232** -222

'DRILL-X'® SELF-DRILLING WAFER REAMER "LOXXON"® HEAD TAPPING SCREWS

SQUARE SOCKET DRIVE
Zinc Plated

232
Series



LIST PRICE PER 100 PIECES

WAFER SOCKET REAMER

Size No.	Dia. X Length Overall Inches	CASE			BULK		Drill Point	Max-Metal Drillable (B)	Grip (G)	Driver	Approx. Weight 1000 pcs.
		232	Pkg Qty	Case Qty	B232	Bulk Qty					
- 326	10-24 x 1-1/2	\$12.71	100	2000	\$10.30	3000	No. 3	.175	1-3/16	No. 2	10.3
- 335	12-24 x 2	19.39	100	1200	15.60	2500	No. 4	.312	1-3/4	No. 3	19.3
- 337	12-24 x 2-1/2	22.68	100	800	18.53	1800	No. 4	.312	2-1/4	No. 3	24.0
- 338	12-24 x 3	26.58	100	800	21.78	1300	No. 4	.312	2-3/4	No. 3	22.0
- 340	12-24x4	33.79	100	600	27.19	600	No. 4	.312	3-3/4	No. 3	33.8

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 10-24 x 1-1/2 Drill-x® Self-drilling Wafer Reamer
Socket Head Tapping Screws Plated
Series Size No.
Case - **232** -326
Bulk - **B232** -326

Revised March 13, 2009

INDENTED HEX SPEE-DRILL® TYPE 'S' SCREWS

• THREAD FORMING • SELF - PIERCING

HEX SLOTTED DRIVE

Zinc Plated

TYPE 'S' - Self-Piercing Point


Serrated Washer Face

222
Plated




Spee-Drill® Screws are driven with a standard electric drill and 1/4 hex socket bit. The special hardened conical point bores through sheet metal and the serrated washer face prevents thread stripping.

222



B222



Also available in selected sizes in Fast-Pac® jars See section 'O'

LIST PRICE PER 100 PIECES

Size No.	Dia. X Length Under Head Inches	CASE-Plated 100's			Size No.	CASE-Plated 1000's			Size No.	BULK-Plated		Approx. Weight 1000 pcs.
		100's 222	Pkg Qty	Case Qty		1000's 222	Pkg Qty	Case Qty		Bulk B222	Bulk Qty	
-085	6 x 3/8	\$4.52	100	7500	-585	\$4.10	1000	8000	-085	\$3.69	20000	2.7
-111	7 x 1/2	4.74	100	7500	-611	4.30	1000	8000	-111	3.87	15000	3.3
-137	8 x 1/2	5.47	100	7500	-637	4.96	1000	8000	-137	4.47	15000	4.1
-136	8 x 9/16	5.67	100	7500	-	-	-	-	-136	4.69	10000	4.2
-189	10 x 1/2	5.96	100	7500	-689	5.40	1000	6000	-189	4.87	10000	4.4
-191	10 x 3/4	7.24	100	4500	-691	6.56	1000	6000	-191	5.91	8000	6.0

Note: Please use Series and Size No. when ordering:

Example: 8 x 1/2 Indented Hex Type 'S' Screws Plated

Series Size No.

Case 100's - 222 - 137
Case 1000's - 222 - 637
Bulk - B222 - 137

Stock Sizes are shown in **HEAVY** type.

Note: All Paulin Indented Hex Type 'S' Screws are Hex, Slotted, Washer Head with 1/4" across flats head size.

PAN "LOXXON®" SPEE-DRILL® TYPE 'S' SCREWS H.V.A.C.

Heating, Ventilating & Air Conditioning

SQUARE SOCKET DRIVE


Zinc Plated

TYPE 'S' - Self-Piercing Point


214
Plated



222



B222



Also available in selected sizes in Fast-Pac® jars See section 'O'

LIST PRICE PER 100 PIECES

No. 8 DIA.							No. 10 DIA.								
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		214	Pkg Qty	Case Qty	B214	Bulk Qty				214	Pkg Qty	Case Qty	B214	Bulk Qty	
- 216	9/16	\$4.90	100	7500	\$3.55	15000	4.3	- 218	5/8	\$6.30	100	4500	\$4.56	10000	5.4

Note: Please use Series and Size No. when ordering:

Example: 8 x 9/16 Pan Socket Type 'S' Screws Plated

Series Size No.

Case 100's - 214 - 216
Bulk - B214 - 216

Stock Sizes are shown in **HEAVY** type.

Revised July 9th, 2009





H. Paulin & Co., a division of The Hillman Group Canada ULC

I9R


BUTTON PHILLIPS/SOCKET SELF DRILLING TAPPING SCREWS

232
Series

PHILLIPS SOCKET DRIVE
Zinc Plated



Under Head



LIST PRICE PER 100 PIECES

Size No.	Dia. X Length Under Head Inches	CASE			BULK		Drill Point	Max-Metal Drillable (B)	Grip (G)	Driver	Approx. Weight 1000 pcs.
		232	Pkg Qty	Case Qty	B232	Bulk Qty					
-191	10-16 x 3/4	\$6.10	100	4500	\$5.60	6000	No. 2	.090	11/64	No. 2	2.2
-193	10-16 x 1	6.30	100	3000	5.75	5000	No. 2	.090	17/64	No. 2	2.4

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 10-16 x 3/4 Button Phillips/Socket Head Self Drilling
Tapping Screws Plated

Series Size No.

Case - **232** **-191**

Bulk - **B232** **-191**


ANCHORS




135	Lag Shields	J1
227	Drop-In Anchors	J1
227	Nail-In Anchors	J2
135	Lead Anchors	J2
227	Toggle Bolts	J3
222	Tie Wire Acoustic Lag Screw	J3
227	Conical Plastic Anchors - Concrete	J4
227	Yellow Plastic Anchors - Hollow Wall	J4
141	Foundation Bolts	J5
227	Nylon (Plastic) Toggles	J5
227	Hollow Wall Anchors (Standard & Self-Drill "Hammer-In")	J6
	Concrete Screws (Flat Socket, Hex Washer Head)	J7
227	Wedge and Sleeve Anchors	J8

AVAILABLE IN THE FOLLOWING PACKAGES:


BULK PACKING




CONTRACTOR PACKAGING



PACKAGE/CASE PACKING




CLAMSHELL PACKAGE/CASE PACKING



135

Series

LAG SHIELDSZinc Alloy Rust Proof Medium Duty
Concrete or Masonry Anchor






Lag Shields are a screw type anchor designed to be used with Lag Screws. Short type shields are used in harder masonry materials to reduce drilling time. The Long version is used in soft masonry to develop better holding strength. For use in concrete or mortar joints of brick or block walls. Drill hole size embossed on shield to the depth of embedment required plus 1/2". Clean hole of dust after drilling. Tap in anchor until head is flush with surface. Apply lag screw and tighten.

135**B135**

1.

2.

3.

**Load Capacities for Block**

Anchor Size	Depth	Tension (Lbs)	Shear (Lbs)
1/4"	1"	390	800
5/16"	1-1/4"	580	1140
3/8"	1-1/2"	920	1250
1/2"	1-1/2"	1210	1780

Load Capacities for Brick


Anchor Size	Depth	Tension (Lbs)	Shear (Lbs)
1/4"	1"	410	1140
5/16"	1-1/4"	980	1650
3/8"	1-1/2"	1380	1800
1/2"	1-1/2"	1980	2380

LIST PRICE PER 100 PIECES

Size No.	Shield Diameter and Length	CASE-Plated 135	Pkg Qty	Case Qty	BULK-Plated B135	Bulk Qty	Approx. Wt. 100 Pcs.	Hole Drill Size
-800	1/4x1 S	\$29.00	50	1200	\$26.10	1300	2.4	1/2"
-802	1/4x1-1/2 L	33.25	50	800	29.92	1000	3.4	1/2"
-804	5/16x1-1/4 S	33.25	50	800	29.92	1050	2.6	1/2"
-806	5/16x1-3/4 L	36.78	50	600	33.11	1000	3.2	1/2"
-808	3/8x1-3/4 S	47.40	50	400	42.66	450	5.2	5/8"
-810	3/8x2-1/2 L	62.25	50	300	56.03	350	4.8	5/8"
-812	1/2x2 S	70.03	25	300	63.03	400	4.2	3/4"
-814	1/2x3 L	87.72	25	150	78.95	170	3.8	3/4"

227

Series




227**B227****DROP-IN ANCHORS**Zinc Plated Steel Medium Duty
Concrete or Masonry Anchor

Paulin Drop-In Anchors are ideal for anchoring bolts or threaded rod into concrete, brick, block or stone. The anchor is expanded with a setting tool which drives the internal plug to the end of the anchor. This in turn expands the four slots surrounding the plug holding the anchor in place. Drill hole size indicated in chart below. Clean hole of dust after drilling. Tap the anchor flush to the surface. Set the internal anchor using the Paulin setting tool. Drive the tool into the anchor until the tool sits flush with the surface.

1.

2.

3.

**2000 p.s.i. concrete 4000 p.s.i. concrete 6000 p.s.i. concrete**

Tension	Shear	Tension	Shear	Tension	Shear
1950	1760	3400	1800	3880	3120
3230	3990	6400	4220	5740	5970
4100	5940	9000	6640	10660	11000

Load Capacities

Anchor Size	Drill Size	Min. Depth
1/4"	3/8"	1-1/4"
3/8"	1/2"	1-7/8"
1/2"	5/8"	2-3/8"

LIST PRICE PER 100 PIECES

Size No.	Anchor Diameter and Length	CASE-Plated 227	Pkg Qty	Case Qty	BULK-Plated B227	Bulk Qty	Approx. Wt. 100 Pcs.	Hole Drill Size
-200	1/4x1	\$38.67	25	800	\$34.80	2000	2.7	3/8
-202	3/8x1-9/16	45.27	25	800	40.75	1000	5.7	1/2
-204	1/2x2	89.60	25	500	80.64	500	11.7	5/8

DROP-IN ANCHORS SETTING TOOL**LIST PRICE PER 100 PIECES**

Size No.	Anchor Diameter	PACKAGE-Plated 227	Pkg Qty	BULK-Plated B227	Bulk Qty
-210	1/4	\$2.54	1	\$2.21	15
-212	3/8	3.96	1	3.45	15
-244	1/2	7.37	1	6.41	15



Note: Please use Series and Size No. when ordering:

Example: 1/4 x 1 Drop-In Anchors

Series Size No.

Case - **227** -200

Bulk - **B227** -200

paulin

H. Paulin & Co., a division of The Hillman Group Canada ULC


Revised July 11th, 2012

J1R

227 Series

NAIL-IN ANCHORS



Zinc Alloy Body/Zinc Plated Pin Medium Duty
Concrete or Masonry Anchor



Nail-In Anchors are a nail drive anchor used in cement block, solid concrete, brick or stone. The anchor has a corrosion resistant zinc alloy coating and carbon steel nail. As the nail is driven into the anchor body, each half of the expansion mechanism is compressed against the walls of the drilled hole. Drill hole 1/4" deeper than the required embedment. Clean hole of dust after drilling. Insert anchor through the fixture and hammer in the nail head until flush.

227

B227



Load Capacities for Block

Anchor Size	Depth	Tension (Lbs)	Shear (Lbs)
1/4"	1"	590	1320
1/4"	1-1/4"	800	1320
1/4"	2"	1000	1320

Load Capacities for Brick

Anchor Size	Depth	Tension (Lbs)	Shear (Lbs)
1/4"	1"	820	1400
1/4"	1-1/4"	950	1400
1/4"	2"	1115	1400


LIST PRICE PER 100 PIECES

Size No.	Anchor Diameter and Length	CASE-Plated 227	Pkg Qty	Case Qty	BULK-Plated B227	Bulk Qty	Approx. Wt. 100 Pcs.	Hole Drill Size
-104	1/4x1	\$16.51	40	640	\$14.86	2500	1.9	1/4
-106	1/4x1-1/4	17.92	40	640	16.51	2000	2.2	1/4
-108	1/4x1-1/2	20.28	30	480	18.39	1800	2.5	1/4
-110	1/4x2	24.52	30	480	22.17	1400	3.1	1/4

135 Series

LEAD ANCHORS



Lead Alloy Medium Duty
Concrete or Masonry Anchor



Paulin Lead Anchors are made entirely of lead alloy which is soft enough for easy installation, yet hard enough to ensure holding strength. This anchor is recommended for light duty workloads where holding strength is at a minimum. Drill hole same size as diameter of anchor to the depth required. Clean hole of dust after drilling. Insert anchor flush to the surface of the material. Insert screw through the fixture, into the anchor and tighten.

135

B135



Load Capacities for Block

Anchor Size	Depth	Tension (Lbs)	Shear (Lbs)
6-8	3/4	70	200
6-8	1	100	280
6-8	1-1/2	200	300
10-14	1	410	520
10-14	1-1/2	640	900

Load Capacities for Brick

Anchor Size	Depth	Tension (Lbs)	Shear (Lbs)
6-8	3/4	95	200
6-8	1	200	420
6-8	1-1/2	300	460
10-14	1	410	520
10-14	1-1/2	790	900

LIST PRICE PER 100 PIECES

Size No.	Anchor Diameter and Length	CASE-Plated 135	Pkg Qty	Case Qty	BULK-Plated B135	Bulk Qty	Approx. Wt. 100 Pcs.	Hole Drill Size
-830	6-8x3/4	\$14.15	100	3000	\$12.73	4000	1.1	1/4
-832	6-8x1	16.51	100	3000	14.86	2500	1.2	1/4
-834	6-8x1-1/2	19.34	100	1600	17.40	2000	2.0	1/4
-838	10-14x1	19.34	100	1600	17.40	2000	2.0	5/16
-840	10-14x1-1/2	25.47	100	1200	22.92	1500	2.8	5/16


Note: Please use Series and Size No. when ordering:

Example: 6-8 x 3/4 Lead Anchors
Series Size No.
Case - 135 -830
Bulk - B135 -830



227
Series

TOGGLE BOLTS

Zinc Plated Medium Duty
Hollow Wall Anchor



Toggle Bolts are a hollow wall anchoring device specifically used in block, drywall, and other hollow materials. The anchor has a dual wing spread that opens automatically with an internal spring. Once the anchor is pushed through and tightened, the wing is calibrated to sit flush against the backside of the wall. This provides even weight distribution and prevents pull out. Drill required hole through the material. Insert bolt through fixture and attach wing. Fold wings completely back and insert through hole. Push through until wings are released and then pull back so that wings sit flush with the back of the material. Tighten bolt until firmly in place.



	3/8" Wallboard		1/2" Wallboard		5/8" Wallboard		3/4" Wallboard	
Anchor Size	Tension	Shear	Tension	Shear	Tension	Shear	Tension	Shear
1/8"	150	180	200	205	250	265	290	310
3/16"	170	210	245	280	315	350	385	420
1/4"	285	310	310	350	350	385	420	445
5/16"	320	360	330	420	365	450	425	510
3/8"	325	370	340	440	385	470	450	530

LIST PRICE PER 100 PIECES

Note: Please use Series and Size No. when ordering:

Example: 1/8 x 2 Toggle Heads
Series Size No.
Case - 227 -697
Bulk - B227 -697

Size No.	Anchor Diameter and Length	CASE-Plated 227	Pkg Qty	Case Qty	BULK-Plated B227	Bulk Qty	Approx. Wt. 100 Pcs.	Hole Drill Size
MACHINE SCREWS								
-684	1/8X2	\$17.69	30	810	Refer to the 204S Screw Catalogue pages L1 & L2 for bulk machine screws.	1.6	3/8	
-685	1/8X3	19.81	25	400		1.8	3/8	
-686	1/8X4	24.41	25	400		2.4	3/8	
-688	3/16X2	21.93	20	320		3.2	9/16	
-690	3/16X3	24.76	20	320		3.6	9/16	
-691	3/16X4	26.17	20	320	Toggle Heads in bulk are listed below.	4.2	9/16	
-692	1/4X3	31.83	12	192		7.0	3/4	
-694	1/4X4	36.08	12	192		8.0	3/4	
TOGGLE HEADS								
-697	1/8	-	-	-	\$11.78	3200	0.8	3/8
-698	3/16	-	-	-	14.64	1200	1.5	1/2
-699	1/4	-	-	-	16.55	800	2.7	5/8
-700	5/16	-	-	-	36.75	500	2.9	3/4
-701	3/8	-	-	-	43.29	400	2.9	1




222
Series

TIE WIRE ACOUSTIC LAG SCREWS

Zinc Plated
Drop Ceiling Fastener



Paulin Tie Wire Screws are used for drop ceiling applications in wood. They are specifically designed to withhold the weight of t-bar drop ceiling construction. Drill a 3/16" pilot hole to the depth of the allocated screw. Using the Paulin Lag Screw Driver (847-570), insert the flat head into the driver and tighten until resistance is felt.



Note: Please use Series and Size No. when ordering:

Example: Lag Screw Driver
Series Size No.
Each - 847 -570

Example: 1/4x3 Tie Wire Screws
Series Size No.
Case - 222 -200
Bulk - B222 -200

222-400 - LIST PRICE PER 100 PIECES
847-570 - LIST PRICE PER EACH

Size No.	Anchor Diameter and Length	CASE-Plated 222	Pkg Qty	Case Qty	BULK-Plated B222	Bulk Qty	Approx. Wt. 100 Pcs.	Hole Drill Size
TIE WIRE SCREW								
222-200	1/4x3	\$13.23	50	1000	\$11.90	2000	2.3	3/16
LAG SCREW DRIVER								
847-570	-	9.00	EACH	-	-	-	-	-

July 21st, 2008



H. Paulin & Co., a division of The Hillman Group Canada ULC

227 Series

CONICAL PLASTIC ANCHORS

Engineered Plastic Plug - Light Duty
Concrete Anchor




Blue or Red Conical Plastic Anchors can be used in concrete, block, brick and wallboard. They are specifically designed for lightweight use only. They are a one piece plug with three slots that don't allow the anchor to spin freely in the hole when tightened. Drill hole to the length of the plug so that it sits flush with the surface. Clean hole of dust after drilling. Tap anchor into the hole with hammer. Position fixture and tighten screw until the threads grip the anchor body.

227



B227




Also available in selected sizes in Fast-Pac® jars
See section 'O'


Load Capacities for Block

Anchor Size	Colour	Depth	Tension (Lbs)	Shear (Lbs)
6-8.	blue	3/4"	180	215
8-10.	red	7/8"	290	235
10-12.	blue	1"	350	280
14-16.	red	1-1/2"	840	530


1.



2.



3.



Load Capacities for Brick

Anchor Size	Colour	Depth	Tension (Lbs)	Shear (Lbs)
6-8.	blue	3/4"	100	230
8-10.	red	7/8"	160	260
10-12.	blue	1"	280	320
14-16.	red	1-1/2"	880	500

Load Capacities for Concrete

Anchor Size	Embedded Depth	2000 psi		4000 psi		6000 psi	
		Tension (lbs)	Shear (lbs)	Tension (lbs)	Shear (lbs)	Tension (lbs)	Shear (lbs)
6-8	3/4"	185	215	210	240	225	240
8-10	7/8"	300	235	440	280	520	280
10-12	1"	350	280	550	350	640	350
14-16	1-1/2"	840	530	840	575	900	575


LIST PRICE PER 100 PIECES

Size No.	Shield Diameter and Length	CASE 227	Pkg Qty	Case Qty	BULK B227	Bulk Qty	Approx. Wt. 100 Pcs.	Hole Drill Size
-046	6-8x3/4	\$.79	100	2700	\$.69	6500	.05	.188
-048	8-10x7/8	.86	100	2700	.75	5000	.06	.188
-050	10-12x1	1.08	100	2700	.94	5000	.12	.250
-054	14-16x1-3/8	2.65	50	1100	2.30	2500	.27	.313

227 Series

YELLOW PLASTIC ANCHORS

Engineered Plastic Plug - Light Duty
Hollow Wall Anchor




Yellow Plastic Anchors are designed for hollow wall application in drywall. Used only for lightweight applications where holding strength is not critical. It has a one piece body with two horizontal slots which open to allow grip to the outside walls of the hole. It should not be used for overhead. Drill hole to the minimum depth required. Clean hole of dust after drilling. Insert anchor through the fixture and tap the anchor until it is flush with the surface of the material. Insert the proper size screw into the anchor and tighten until fixture is securely fastened.

227



B227




Also available in selected sizes in Fast-Pac® jars
See section 'O'


Load Capacities for Drywall

Anchor Size	Depth	Tension (Lbs)	Shear (Lbs)
6-8.	1"	180	215
8-12.	1-1/4"	290	235
12-14.	1-1/2"	350	280


1.



2.



3.



LIST PRICE PER 100 PIECES


Size No.	Shield Diameter and Length	CASE 227	Pkg Qty	Case Qty	BULK B227	Bulk Qty	Approx. Wt. 100 Pcs.	Hole Drill Size
-609	6-8x1	\$4.24	100	2700	\$3.82	7000	.08	.188
-610	8-12x1-1/4	5.38	100	2200	4.84	4000	.14	.250
-613	12-14x1-1/2	8.30	100	1600	7.47	2000	.23	.313

FOUNDATION BOLTS

141
Series



with nuts & washers
Bare Metal



Foundation Bolts are made from low carbon steel. Used for anchoring such things as wood stud walls, structural steel columns, light poles, highway sign structures, bridge rail equipment and many other applications in pre-poured concrete. Leg of bolt is firmly embedded in concrete after it cures, allowing for clamping on the threaded portion of the bolt.

LIST PRICE PER EACH

Size No.	Bolt Diameter and Length	CASE-Bare 141	Pkg Qty	Case Qty	Approx. Wt. 100 Pcs.	Size No.	Bolt Diameter and Length	CASE-Bare 141	Pkg Qty	Case Qty	Approx. Wt. 100 Pcs.
-061	1/2 x 6	\$1.37	1	25	37.7	-063	1/2 x 8	\$1.67	1	25	45.9

Note: Please use Series and Size No. when ordering:

Example: 1/2 x 6 Foundation Bolts

Series Size No.

Case - 141 -061



Note: Bulk available upon request.

Stock Sizes are shown in **HEAVY** type.

227
Series


NYLON (PLASTIC) TOGGLES

Engineered Plastic Plug - Light Duty
Hollow Wall Anchor




Nylon Toggle Anchors are designed for hollow wall application in wallboard and panelling. This toggle is designed to flare out creating a tight triangular clamp behind the hollow based material. The screw penetrates into the anchor making the tabs flare out creating a triangular shape. The extruded points that align the wings ensure extra grip to the material. Drill a 5/16" hole. Squeeze toggle together and push into the hole until flush with wall. Position fixture over the anchor. Insert the screw and tighten until it feels secure.

227




B227



Load Capacities for Wallboard

Anchor Size	Depth	Tension (Lbs)	Shear (Lbs)
3/8	5/16"	135	165
1/2	5/16"	150	220
5/8	5/16"	170	250



LIST PRICE PER 100 PIECES

Size No.	Shield Diameter and Length	CASE 227	Pkg Qty	Case Qty	BULK B227	Bulk Qty	Approx. Wt. 100 Pcs.	Drill Hole Size
-022	3/8 S	\$18.27	25	400	\$15.53	3000	.20	5/16
-024	1/2 L	19.28	25	400	16.39	3000	.30	5/16
-026	5/8 L	20.30	25	400	17.26	2000	.40	5/16

Stock Sizes are shown in **HEAVY** type.

Note: Please use Series and Size No. when ordering:

Example: 3/8S Plastic Toggles

Series Size No.

Case - 227 -022
Bulk - B227 -022

September 24, 2009



H. Paulin & Co., a division of The Hillman Group Canada ULC


J5R

227
Series



HOLLOW WALL ANCHORS

Zinc Plated Medium Duty
Hollow Wall Anchor


Hollow Wall Anchors are a sleeve type anchor designed for plaster, wallboard and concrete block. The anchor is constructed with a two part system consisting of and expansion sleeve and machine screw. Once the anchor is pushed through and tightened, the sleeve pulls against the thread of the machine screw causing the two to draw up tightly against the inside of the drywall. Drill required hole through the material. (No drilling required for the "Drill" type anchor). Tap the anchor into the hole until the tabs are held firmly in place into the material. Apply pressure when tightening the machine screw until resistance is felt.



Self-Drill "Hammer-In" Type




Standard Type



227



B227



Load Capacities for Wallboard			Wallboard Thickness			
Tension (Lbs)	Anchor Size	Depth	3/8"	1/2"	5/8"	3/4"
	1/8"	5/16"	80	150	160	170
	3/16"	3/8"	90	175	190	210
Shear (Lbs)	1/4"	7/16"	95	200	220	245
	1/8"	5/16"	110	170	195	210
	3/16"	3/8"	130	180	210	220
	1/4"	7/16"	150	200	220	250

LIST PRICE PER 100 PIECES

STANDARD TYPE (NO SELF-DRILL)								
Size No.	Anchor Diameter and Length	CASE 227	Pkg Qty	Case Qty	BULK B227	Bulk Qty	Approx. Wt. 100 Pcs.	Drill Hole Size
-120	1/8XS	\$22.58	50	1600	\$19.19	2500	.90	5/16
-121	1/8XL	24.86	40	640	21.13	2500	2.10	1/4
-122	1/8S	22.58	50	1100	19.19	2000	1.25	5/16
-124	1/8L	23.34	40	640	19.84	1250	1.55	5/16
-128	3/16S	41.60	20	440	35.36	800	3.00	3/8
-130	3/16L	49.20	40	640	41.82	300	3.95	3/8
-131	3/16XL	54.25	40	640	46.11	500	4.98	3/8
-132	1/4S	58.33	40	640	49.58	300	4.45	7/16
-133	1/4L	62.13	40	640	52.81	300	5.60	7/16
SELF-DRILLING 'HAMMER-IN' TYPE								
Size No.	Anchor Diameter and Length	CASE 227	Pkg Qty	Case Qty	BULK B227	Bulk Qty	Approx. Wt. 100 Pcs.	Approx. Wt. 100 Pcs.
-142	1/8DS	\$28.90	40	880	\$24.57	4000	1.25	-
-144	1/8DL	31.19	30	660	26.51	3000	1.55	-

Stock Sizes are shown in **HEAVY** type.

Note: Please use Series and Size No. when ordering:
Example: 1/8DS Self-Drilling 'Hammer-In' Hollow Wall Anchors

Series Size No.

Case - 227 -142

Bulk - B227 -142


July 21st, 2008

CONCRETE SCREWS

Flat Socket Head

Blue

Ideal for concrete, brick or hollow block. Shear strength:
3/16" dia.=145lbs, 1/4" dia.=285lbs.



Also available in selected sizes in Fast-Pac® jars
See section 'O'




LIST PRICE PER 100 PIECES

3/16 Dia.					1/4 Dia.				
Size No.	Length Overall Inches	BULK		Approx Weight 100 Pcs.	Size No.	Length Overall Inches	BULK		Approx Weight 100 Pcs.
			Bulk Qty					Bulk Qty	
3115S	3/16 x 1-1/4	\$6.49	6500	0.7	3315S	1/4 x 1-1/4	\$9.61	4500	1.3
3125S	3/16 x 1-3/4	7.97	3500	0.9	3325S	1/4 x 1-3/4	11.82	2500	1.8
3135S	3/16 x 2-1/4	9.30	2500	1.3	3335S	1/4 x 2-1/4	14.64	1800	2.3
3145S	3/16 x 2-3/4	10.95	1800	1.5	3345S	1/4 x 2-3/4	17.35	1200	2.5
3165S	3/16 x 3-1/4	13.91	1200	1.8	3355S	1/4 x 3-1/4	21.21	1000	3.0
3185S	3/16 x 4	16.28	800	2.0	3375S	1/4 x 4	25.98	800	3.7
					3385S	1/4 x 5	39.54	400	4.5
No. 2 'Loxxon' Square Socket Bit or Red Handle Driver					No. 2 'Loxxon' Square Socket Bit or Red Handle Driver				

CONCRETE SCREWS

Hex Washer Head

Blue



Also available in selected sizes in Fast-Pac® jars
See section 'O'



LIST PRICE PER 100 PIECES

3/16 Dia.					1/4 Dia.				
Size No.	Length Under Head Inches	BULK		Approx Weight 100 Pcs.	Size No.	Length Under Head Inches	BULK		Approx Weight 100 Pcs.
			Bulk Qty					Bulk Qty	
3215S	3/16 x 1-1/4	\$7.18	6500	0.8	3415S	1/4 x 1-1/4	\$10.66	4500	1.3
3225S	3/16 x 1-3/4	8.37	3500	1.0	3425S	1/4 x 1-3/4	12.77	2500	1.8
3235S	3/16 x 2-1/4	10.16	2500	1.3	3435S	1/4 x 2-1/4	15.33	1800	2.3
3245S	3/16 x 2-3/4	11.67	1800	1.5	3445S	1/4 x 2-3/4	17.91	1200	2.5
3265S	3/16 x 3-1/4	14.74	1200	1.8	3455S	1/4 x 3-1/4	22.14	1000	3.0
3285S	3/16 x 4	17.15	800	2.0	3475S	1/4 x 4	28.44	800	3.7
					3485S	1/4 x 5	39.84	400	4.5
3/16 Hex Driver Bit					1/4 Hex Driver Bit				

Note: Please use Series and Size No. when ordering:
Example: 3/16x1-1/4 Flat Socket Head Concrete Screws Bulk
Series Size No.

Bulk - 3115S

Added February 2011




H. Paulin & Co., a division of The Hillman Group Canada ULC

227
Series**227**

Wedge anchors are designed for anchoring fixtures into solid concrete or grout filled masonry. These anchors work by inserting them into a hole drilled into concrete and tightening the nut against the fixture. The three prong wrap around clip slides down and is then expanded, wedging itself securely in the concrete. Our wedge anchors have a chamfered threaded end for ease of starting nut and a heavy duty three prong wrap around clip to secure tightly against the concrete.

WEDGE ANCHORS

Carbon Steel Zinc Plated



LIST PRICE PER 100 PIECES

3/8 DIA.						
Size No.	Anchor Diameter and Length	CASE 227	Pkg Qty	Case Qty	Approx. Wt. 100 Pcs.	Drill Hole Size
-150	3/8x2-3/4	\$57.01	50	400	9.95	3/8
-152	3/8x3	58.52	50	400	10.91	3/8
-154	3/8x3-3/4	66.59	50	300	13.23	3/8
1/2 DIA.						
-156	1/2x3-3/4	111.24	25	150	23.59	1/2
-158	1/2x4-1/2	132.68	25	150	25.29	1/2
5/8 DIA.						
-160	5/8x4-1/2	219.45	10	100	46.29	5/8
-162	5/8x5	205.33	10	100	49.27	5/8
3/4 DIA.						
-170	3/4x4-1/4	305.22	10	60	62.49	3/4

Note: Please use Series and Size No. when ordering:

Example: 3/8 x 2-3/4 Wedge Anchors

Series Size No.

Case - 227 -150


Anchor Diameter	Embed Depth	Torque	2000 psi		4000 psi		6000 psi	
			Shear (lb)	Tension (lb)	Shear (lb)	Tension (lb)	Shear (lb)	Tension (lb)
3/8	1-1/2	25-30	1631	4318	3636	5121	4448	6232
	3		3229	4318	5653	5121	5975	6232
	5		4074	4318	6328	5121	6360	6232
1/2	2-1/4	50-60	3999	7419	6714	9377	9616	9888
	4		6336	7419	8942	9377	10192	9888
	6		6902	7419	10175	9377	12064	9888
5/8	3-3/4	75-90	4999	8264	8747	12928	9760	16373
	5		8854	8264	15590	12928	16802	16373
	7		9381	8264	16710	12928	17732	16373
3/4	3-1/4	150-175	6638	12504	11314	17050	16230	22965
	6		10084	12504	18408	17050	21092	22965
	6		11170	12504	19805	17050	22522	22965

227
Series**227**

Sleeve Anchors are designed for anchoring fixtures into concrete, brick and block. Sleeve anchors work by inserting them into a hole drilled into concrete. Turning the nut pulls the working end of the sleeve anchor up through the sleeve, expanding and anchoring itself securely in the concrete, brick or block.

SLEEVE ANCHORS

Carbon Steel Zinc Plated



LIST PRICE PER 100 PIECES

3/8 DIA.						
Size No.	Anchor Diameter and Length	CASE 227	Pkg Qty	Case Qty	Approx. Wt. 100 Pcs.	Drill Hole Size
-180	3/8x1-7/8	\$36.32	50	500	7.70	3/8
-182	3/8x3	47.42	50	400	10.78	3/8
1/2 DIA.						
-190	1/2x2-1/4	61.55	25	250	14.08	1/2
-192	1/2x2-3/4	70.12	25	200	16.24	1/2
-194	1/2x4	89.80	25	200	20.68	1/2

Anchor Diameter	Embed Depth	Torque	2000 psi		Grout Filled CMU Single Face Shell		Grout Filled CMU Mortar "T" Joint	
			Shear (lb)	Tension (lb)	Shear (lb)	Tension (lb)	Shear (lb)	Tension (lb)
3/8	1-1/2	15	1590	3060	1735	2860	1915	3420
1/2	2-1/4	25	3145	4975	3370	5650	3835	5835

Added March 20, 2012

J8**Paulin**

H. Paulin & Co., a division of The Hillman Group Canada ULC


DECK, DRYWALL and CONSTRUCTION




214	Flat Head Square Drive Green & Cedar "Duradized II" Deck Screws	K1-2
214	Trap Head Square Drive "Duradized" Composite Deck Screws	K3
214	Trim Head Square Drive "Duradized" Composite Deck Screws	K3
214	Flat Head Square Drive Construction Screws - Yellow Zinc	K3
214	Bugle Head Phillips Drywall Screws Coarse & Fine Thread - Phos.	K4
214	Bugle Head Phillips 'Self-Drilling' Drywall Screws - Zinc	K5
214	Trim Head Square & Phillips Drive Drywall Screws - Phos.	K5
214	Bugle Head Phillips Drive Laminating Screws - Phos.	K6
214	Pan Head Square & Phillips Drive Framing Screws - Phos.	K6
214	Modified Truss Head Phillips Drive Lath Screws - Phos. (Incl. Self-Drilling)	K6

AVAILABLE IN THE FOLLOWING PACKAGES:

BULK PACKING



1/8 KEG CARTON & PAIL PACKING




CONTRACTOR PACKAGING



PAIL PACKING



PACKAGE/CASE PACKING



CLAMSHELL PACKAGE/CASE PACKING



FLAT 'LOXXON®' HEAD DECK SCREWS GREEN DURADIZED II

SQUARE SOCKET DRIVE


All Deck Screws No.2 (Red Handle) Square Drive

ACQ APPROVED

214
Series



Filets
**Saw
Tooth**
Threads




Green Duradized II Deck Screws are formulated to prevent rust, staining or streaking in chemically treated wood including ACQ. Duradized screws may not perform due to weather and surface breaches on wood not properly treated and sealed. New re-inforced neck provides for increased driving torque.

Another design improvement, the new Duradized II Deck Screw threads include a cutting feature. This revolutionary "Sawtooth" thread requires less driving torque and out performs traditional Type '17' thread cutting screws. This screw reduces splitting and results in greater holding power.


214




214*



214



B214



LIST PRICE PER 100 PIECES

GREEN DURADIZED II															
Size No.	Dia. X Length Overall Inches	CASE 100's			CASE 500's—350's—250's				1/8 KEGS			BULK			Weight 1000 Pcs.
		CL			PP				BK			BULK			
		Green Duradized	Pkg Qty	Case Qty	Size No.	Green Duradized	Pkg Qty	Case Qty	Size No.	Green Duradized	1/8 Keg Qty	Size No.	Green Duradized	Bulk Qty	
		214				214				214			B214		
- 531	6 x 1-1/4	\$4.00	100	3000	- 543	\$3.61	500	6000	-	-	-	- 570	-	-	-
- 532	6 x 1-5 /8	4.05	100	2000	- 544	3.66	500	6000	- 556	\$3.54	3000	- 565	\$3.40	5000	4.80
- 534	8 x 1-1/4	4.20	100	2000	- 546	3.79	500	6000	-	-	-	- 558	3.53	7500	4.80
- 535	8 x 1-1/2	4.54	100	2000	- 547	4.11	500	6000	-	-	-	- 559	3.82	6000	5.60
- 533	8 x 2	5.87	100	1500	- 545	5.31	500	4000	- 613	5.16	1800	- 566	4.93	4000	7.67
- 537*	8 x 2-1/2	7.41	100	1200	- 549	6.70	350	2800	- 561	6.53	1200	- 567	6.22	2500	10.00
- 538*	8 x 3	8.54	100	1200	- 550	7.80	250	2000	- 612	7.55	1000	- 568	7.17	1500	11.11
- 540*	10 x 3-1/2	16.09	100	1200					- 564	14.25	500	- 569	13.52	1000	17.70

Note: Please use Series and Size No. when ordering:

Example: 6 x 1-5/8 Flat 'Loxxon®' Head Deck Screws Green Duradized II

Series Size No.

Case 100's 214 -532
Case 500's 214 -544
1/8 Keg - B214 -556
Bulk - B214 -565

Stock Sizes are shown in **HEAVY** type.

July 21st, 2008



H. Paulin & Co., a division of The Hillman Group Canada ULC

K1

FLAT 'LOXXON®' HEAD DECK SCREWS BROWN DURADIZED II

214
Series



SQUARE SOCKET DRIVE

All Deck Screws No.2 (Red Handle) Square Drive

ACQ APPROVED



Filets
**Saw
Tooth**
Threads




Brown and Redwood Duradized II Deck Screws are formulated to prevent rust, staining or streaking in Cedar and Redwood. Duradized screws may not perform due to weather and surface breaches on wood not properly sealed. New re-inforced neck provides for increased driving torque.

Another design improvement, the new Duradized II Deck Screw threads include a cutting feature. This revolutionary "Sawtooth" thread requires less driving torque and out performs traditional Type '17' thread cutting screws. This screw reduces splitting and results in greater holding power.


214



214 *



214



B214



LIST PRICE PER 100 PIECES

BROWN DURADIZED II

Size No.	Dia. x Lenght Overall Inches	CASE 100's			CASE 500's—350's—250's				1/8 KEG's			BULK			Weight 1000 Pcs.
		CL			PP				BK			BULK			
		Green Dura-dized 214	Pkg Qty	Case Qty	Size No.	Green Dura-dized 214	Pkg Qty	Case Qty	Size No.	Green Dura-dized 214	1/8 Keg Qty	Size No.	Green Dura-dized B214	Bulk Qty	
- 499	6 x 1-5 /8	\$4.05	100	2000	- 507	\$3.66	500	6000	- 515	\$3.54	3000	- 522	\$3.40	5000	4.80
- 500	8 x 2	5.87	100	1500	- 508	5.31	500	4000	- 517	5.16	1800	- 523	4.93	4000	7.67
- 503*	8 x 2-1/2	7.41	100	1200	- 511	6.70	350	2800	- 519	6.53	1200	- 526	6.22	2500	10.00
- 504*	8 x 3	8.54	100	1200	- 512	7.80	250	2000	- 518	7.55	1000	- 527	7.17	1500	11.11
- 505*	10 x 3-1/2	16.09	100	1200	-	-	-	-	- 521	14.25	500	- 528	13.74	1000	17.70

Note: Please use Series and Size No. when ordering:

Example: 6 x 1-5/8 Flat 'Loxxon®' Head Deck Screws Brown Duradized II

Stock Sizes are shown in **HEAVY** type.

	Series	Size No.
Case 100's	214	- 499
Case 500's	214	- 507
1/8 Keg -	B214	- 515
Bulk -	B214	- 522

NOTE: Deck Screws are not considered wood screws and may have different thread dimensions.

Revised July 21st, 2008

K2

paulin

H.Paulin & Co., a division of The Hillman Group Canada ULC


FLAT 'LOXXON®' HEAD YELLOW ZINC CONSTRUCTION SCREWS

214
Series



SQUARE SOCKET DRIVE
All Construction Screws No.2 (Red Handle)
Square Drive


Filets
Saw Tooth
Threads



NOT ACQ APPROVED

New re-inforced neck provides increase in driving torque. Square drive for non-slip cling fit and bugle head for self-countersinking. Coarse threads for extra holding power and faster uniform drawdown. Extra sharp point easily penetrates into wood without pre-drilling. For use with all interior construction projects. Not recommended for ACQ lumber.

Another design improvement, the new Duradized II Deck Screw threads include a cutting feature. This revolutionary "Sawtooth" thread requires less driving torque and out performs traditional Type '17' thread cutting screws. This screw reduces splitting and results in greater holding power.




214

214*

214

B214



LIST PRICE PER 100 PIECES

YELLOW ZINC PLATED

Size No.	Dia. X Length Overall Inches	CASE 100's			CASE 500's—350's—250's				1/8 KEGS			BULK			Weight 1000 Pcs.
		CL			PP				BK			BULK			
		Yellow zinc 214	Pkg Qty	Case Qty	Size No.	Yellow zinc 214	Pkg Qty	Case Qty	Size No.	Yellow zinc 214	1/8 Keg Qty	Size No.	Yellow zinc B214	Bulk Qty	
-	6 x 1-1/4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
- 632	6 x 1-5 /8	\$2.76	100	2000	- 644	\$2.76	500	6000	- 656	\$2.68	3000	- 705	\$2.56	5000	4.80
-	8 x 1-1/4	-	-	-	-	-	-	-	-	-	-	- 712	2.48	7500	6.20
-	8 x 1-1/2	-	-	-	-	-	-	-	-	-	-	- 713	2.57	6000	5.60
-	8 x 1-3/4	-	-	-	-	-	-	-	-	-	-	- 714	3.78	4000	4.80
- 633	8 x 2	4.10	100	1500	- 645	3.71	500	4000	- 667	3.60	1800	- 706	3.44	4000	7.67
- 634*	8 x 2-1/2	5.01	100	1200	- 649	4.53	350	2800	- 658	4.42	1200	- 707	4.21	2500	10.00
- 638*	8 x 3	5.90	100	1200	- 650	5.34	250	2000	- 664	5.21	1000	- 708	4.97	1500	11.11
-	10x3	-	-	-	-	-	-	-	-	-	-	- 709	7.78	1500	14.90
- 640*	10 x 3-1/2	10.49	100	1200	-	-	-	-	- 704	9.26	500	- 710	8.82	1000	17.70

NOTE: Construction Screws are not considered wood screws and may have different thread dimensions.

Stock Sizes are shown in HEAVY type.

'LOXXON®' HEAD COMPOSITE BOARD DECK SCREWS DURADIZED II


214
Series



SQUARE SOCKET DRIVE
ACQ APPROVED



Special Head design traps material and prevents "mushrooming." Heavy duty coarse threads with special notch design provides extra holding power and faster drawdown in all composites. Sharp point allows easy penetration into composite board without pre-drilling.



Trap Head for composite board to joist application
No.2 Square Bit Included



Trim Head for composite board trim work.
No.1 Square Bit Included

PACKAGE LIST PRICE PER BOX
BULK LIST PRICE PER 100 PIECES

TRAP HEAD										TRIM HEAD				
Size No.	Dia. X Length Under Head Inches	TRAP HEAD								Size No.	Dia. X Length Under Head Inches	TRIM HEAD		
		Screw Colour	Duradized II 214	Pkg Qty	Case Qty	Size No.	Duradized II B214	Bulk Qty	Approx Weight 1000 Pcs.			Screw Colour	Duradized II 214	Pkg Qty
-980	10 x 2-1/2	Grey	\$46.09	350	1400	-880	\$12.48	2000	16.3	- 496	8 x 2-1/2	Grey	\$35.29	350
-981	10 x 3	Grey	42.29	250	1000	-881	15.49	1500	20.1	- 497	8 x 3	Grey	27.13	250
-982*	10 x 2-1/2	Grey	13.38	100	800	-880	12.48	2000	16.3					
-983*	10 x 2-1/2	Tan	13.57	100	800	-883	12.61	800	16.3					
-985	10 x 2-1/2	Tan	47.49	350	1400	-883	12.61	2000	16.3					
-984*	10 x 2-1/2	Redwood	13.76	100	800	-884	12.74	2000	16.3					
-986	10 x 2-1/2	Redwood	48.17	350	1400	-884	12.74	2000	16.3					


For Composite Board Deck Screws order by package quantity.

Stock Sizes are shown in HEAVY type.

Example: 214-980
1 = a package of 350
10 =10 packages of 350


DRYWALL SCREWS

Bugle Head, No. 2 Phillips Drive, Hardened, Phosphate Coated



Designed for fastening gypsum board to steel framing members up to 24 gauge.

214
Series




Coarse Thread Drywall Screws are designed for fastening gypsum board to wood members.

214




214




*

214



B214



Also available in selected sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

FINE THREAD															
Size No.	Dia. X Length Overall Inches	CASE 100'S			CASE 250's and 500'S				1/8 Keg			BULK			Weigh 1000 Pcs.
		CL			PP				BK			BULK			
		214	Pkg Qty	Case Qty	Size No.	214	Pkg Qty	Case Qty	Size No.	214	1/8 Keg Qty	Size No.	B214	Bulk Qty	
- 170	6 x 1	\$2.39	100	3000	- 016	\$1.84	500	6000	- 028*	\$1.73	1000	- 076	\$1.32	10000	3.2
-	6 x 1-1 /8	-	-	-	-	-	-	-	-	-	-	- 077	2.79	10000	3.5
- 171	6 x 1-1/4	2.54	100	3000	- 018	2.05	500	6000	- 030*	1.85	1000	- 078	1.40	8000	4.0
- 172	6 x 1-5/8	3.54	100	2000	- 020	2.66	500	6000	- 032*	2.42	1000	- 080	1.68	5000	5.0
- 173	6 x 2	4.12	100	1500	- 021	3.17	500	4000	- 033	2.83	1000	- 081	2.45	3500	6.0
- 174*	7 x 2-1/4	5.20	100	1200	- 022	3.94	500	4000	- 034	3.83	1000	- 082	3.54	3000	6.7
- 175*	7 x 2-1/2	6.66	100	1200	- 023	5.22	500	4000	- 035	4.47	1000	- 083	4.01	2500	8.8
- 176*	8 x 3	9.32	100	1200	- 025	6.95	250	2000				- 084	5.75	1500	12.7
COARSE THREAD															
- 111	6 x l	\$2.51	100	3000	- 126	\$1.90	500	6000	- 135*	\$1.82	1000	- 186	\$1.32	10000	3.2
	6 x 1-1/8	-	-	-	-	-	-	-	-	-	-	- 187	2.79	10000	3.5
- 177	6 x 1-1/4	2.54	100	3000	- 128	2.05	500	6000	- 140*	1.85	1000	- 188	1.40	8000	4.0
- 178	6 x 1-5/8	3.54	100	2000	- 130	2.66	500	6000	- 142*	2.42	1000	- 190	1.68	5000	5.0
- 179	6 x 2	4.12	100	1500	- 131	3.17	500	4000	- 143	2.83	1000	- 191	2.45	3500	6.0
- 117*	7 x 2-1/4	5.45	100	1200	- 132	4.07	500	2000	- 144	4.02	1000	- 192	3.60	3000	6.7
- 118*	7 x 2-1/2	6.99	100	1200	- 133	5.39	500	2000	- 145	4.68	1000	- 193	4.01	2500	8.8
- 119*	8 x 3	9.78	100	1200	- 134	7.30	250	2000				- 194	5.75	1500	12.7

Note: Please use Series and Size No. when ordering:
Example: 6 x 1-5/8 Fine Thread Drywall Screws

Series Size No.
Case 100's - 214 -172
Case 500's - 214 -020
1/8 keg 1000's - 214 -032
Bulk - B214 -080

Stock Sizes are shown in **HEAVY** type.

For Drywall Screw Bits see page M2.

For Pallet Load pricing (27 Bulk containers) - price on application.

NOTE: Drywall Screws are not considered wood screws and may have different thread dimensions.


July 21st, 2008

SELF-DRILLING DRYWALL SCREWS

214
Series

FINE THREAD

Zinc Plated




Designed for attaching drywall to steel framing by creating its own pilot hole. This allows for quicker contact with the frame which saves time when drilling.

214




214



Also available in selected sizes in Fast-Pac® jars
See section 'O'

B214



LIST PRICE PER 100 PIECES

NO. 6 DIA.												
Size No.	Dia. X Length Overall Inches	CASE 100'S			CASE 500'S & 1000'S				BULK			Weight 1000 Pcs.
		CL			PP				BULK			
		214	Pkg Qty	Case Qty	Size No.	214	Pkg Qty	Case Qty	Size No.	B214	Bulk Qty	
- 400	6 x 1-1/4	\$2.62	100	3000	- 418	\$2.23	500	3000	-	-	-	-
- 405	6 x 1-5/8	3.86	100	2000	- 419	3.22	500	3000	-	-	-	-
-	6 x 1-1/4	-	-	-	- 430	2.46	1000	8000	- 478	\$2.35	8000	4.0
-	6 x 1-5/8	-	-	-	- 431	3.09	1000	8000	- 479	2.67	5000	5.0

Stock Sizes are shown in **HEAVY** type.

TRIM HEAD DRYWALL SCREWS

214
Series

SQUARE SOCKET and PHILLIPS DRIVE

Dry Phosphate Coated



Designed for attaching wood trim over single or multi-layer gypsum board to wood or steel framing.

214



B214



Also available in selected sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

SOCKET HEAD															
Size No.	Dia. X Length Overall Inches	CASE 100'S					Approx Weight 1000 Pcs.	Size No.	Dia. X Length Overall Inches	CASE 100'S					Approx Weight 1000 Pcs.
		214	Pkg Qty	Case Qty	B214	Bulk Qty				214	Pkg Qty	Case Qty	B214	Bulk Qty	
- 230	6 x 1-5/8	\$2.88	100	3000	\$2.31	5000	5.0	- 232	7 x 2-1/4	\$3.79	100	2000	\$3.04	4000	8.0
PHILLIPS HEAD															
Size No.	Dia. X Length Under Head	CASE			BULK		Approx. Weight 1000 Pcs.	Size No.	Dia. X Length Under Head	CASE			BULK		Approx. Weight 1000 Pcs.
		214	Pkg Qty	Case Qty	B214	Bulk Qty				214	Pkg Qty	Case Qty	B214	Bulk Qty	
-220	6 x 1-5/8	\$3.10	100	3000	\$2.51	5000	5.0	-222	7 x 2-1/4	\$4.04	100	2000	\$3.26	4000	8.0

Stock Sizes are shown in **HEAVY** type.

January 7th, 2010



H. Paulin & Co., a division of The Hillman Group Canada ULC

K5

214
Series**LAMINATING SCREWS**Bugle Head, No. 2 Phillips Drive, Unhardened
Dry Phosphate Coated

LIST PRICE PER 100 PIECES

PHILLIPS

Size No.	Length Overall Inches	CASE			BULK		Approx. Weight 1000 Pcs.
		214	Pkg Qty	Case Qty	B214	Bulk Qty	
- 205	10 x 1-1/2	\$3.43	100	2000	\$2.73	5000	8.2

214



B214

Designed for temporary, multi-layer fastening of gypsum board to gypsum board Dry Phosphate Coated.

FRAMING SCREWSPan Phillips or Pan Socket Serrated Head
Dry Phosphate Coated**214**
Series

214


B214



Also available in selected sizes in Fast-Pac® jars See section 'O'



Standard



Self-Drilling

Ideal for fastening steel studs to door frames and runners (track).
Serrations under head eliminates spin-out in thin sheet metal.

LIST PRICE PER 100 PIECES

PAN PHILLIPS HEAD**PAN 'LOXXON'® (SOCKET) HEAD**

Size No.	Dia. X Length Under Head Inches	CASE			BULK		Approx. Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	CASE			BULK		Approx. Weight 1000 Pcs.
		214	Pkg Qty	Case Qty	B214	Bulk Qty				214	Pkg Qty	Case Qty	B214	Bulk Qty	
- 235	6 x 7/16	\$2.84	100	7500	\$2.31	15000	2.1	- 238	6 x 7/16	\$3.02	100	7500	\$2.46	15000	2.1
- 236†	6 x 7/16	2.96	100	7500	2.43	25000	2.1								

† Self-Drilling

MODIFIED TRUSS LATH SCREWSNo. 2 Phillips Drive
Wafer Head Screws**214**
Series

214

B214



Also available in selected sizes in Fast-Pac® jars See section 'O'

Standard
Dry PhosphateSelf-Drilling
Zinc Plated

Provides improved holding power for attaching metal diamond lath and metal lath with water-resistant paper backing to wood or steel framing members.

LIST PRICE PER 100 PIECES

WAFER HEAD SCREWS - PHILLIPS

Size No.	Length Under Head Inches	CASE- Phosphate			BULK- Phosphate		Approx. Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE- Phosphate			BULK- Phosphate		Approx. Weight 1000 Pcs.
		214	Pkg Qty	Case Qty	B214	Bulk Qty				214	Pkg Qty	Case Qty	B214	Bulk Qty	
- 312	8 x 9/16	\$2.42	100	4500	\$1.94	10000	4.6	- 317	8 x 1	\$4.92	100	3000	\$3.93	7500	6.4
- 315	8 x 13/16	4.36	100	5000	3.50	10000	4.9	- 319	8 x 1-1/4	5.43	100	3000	4.34	6000	7.3

MODIFIED TRUSS LATH SCREWS - PHILLIPS SELF-DRILLING

Size No.	Length Under Head Inches	CASE- Plated			BULK- Plated		Approx. Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE- Plated			BULK- Plated		Approx. Weight 1000 Pcs.
		214	Pkg Qty	Case Qty	B214	Bulk Qty				214	Pkg Qty	Case Qty	B214	Bulk Qty	
- 195	8 x 9/16	\$2.42	100	5000	\$1.94	10000	4.6	- 197	8 x 1-1/4	\$5.43	100	3000	\$4.34	5000	7.3
- 196	8 x 1	5.08	100	3000	4.06	7500	6.4	- 200	10 x 3/4	5.67	100	5000	3.72	9000	4.6

Revised April 12th, 2010

Stock Sizes are shown in **HEAVY** type.**K6****paulin**

H.Paulin & Co., a division of The Hillman Group Canada ULC

MACHINE SCREWS




1741	Round Head Combination Drive Machine Screws - Zinc	L1-2
176	Flat Head Square Drive Machine Screws - Zinc	L3-4
173	Pan Head Phillips Drive Machine Screws - Zinc	L5-6
184	Hex Machine Screw Nuts - Zinc	L7
185	Square Machine Screw Nuts - Zinc	L7
196	Round Head Combination Drive Stove Bolts - Zinc	L8-9
195	Flat Head Square Drive Stove Bolts - Zinc	L8-9
222	Break Away Screws - Zinc	L9
400	Switch Plate Screws - Zinc	L9

AVAILABLE IN THE FOLLOWING PACKAGES:


BULK PACKING

Bulk Carton (BC)




PACKAGE/CASE PACKING

Black Box Package (PKG)



Case



Most Black Box Packages (PKG) are packed 5 per "sleeve" and then packed in case boxes.

ROUND COMBINATION HEAD STEEL MACHINE SCREWS



COMBINATION SQUARE/SLOT DRIVE
Zinc Plated

1741*
Round Head

1741



B1741



LIST PRICE PER 100 PIECES

4-40								6-32							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty				Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty	
- 039	1/4	\$3.39	100	7500	\$1.72	25000	1.0	- 083	1/4	\$2.14	100	7500	\$1.33	25000	1.7
- 041	3/8	2.48	100	7500	1.86	25000	1.3	- 084	5/16	2.18	100	7500	1.39	25000	1.9
- 043	1/2	2.72	100	7500	2.03	25000	1.6	- 085	3/8	2.21	100	7500	1.45	25000	2.1
- 044	5/8	-	-	-	-	-	1.8	- 087	1/2	2.33	100	7500	1.59	20000	2.4
- 045	3/4	3.21	100	7500	2.23	25000	2.1	- 088	5/8	2.54	100	7500	1.66	15000	2.8
- 046	7/8	-	-	-	-	-	2.3	- 089	3/4	2.62	100	7500	1.88	15000	3.2
- 047	1	3.70	100	7500	2.59	20000	2.5	- 090	7/8	-	-	-	-	-	3.5
- 049	1-1/4	-	-	-	-	-	3.0	- 091	1	2.79	100	7500	2.22	10000	3.9
- 051	1-1/2	-	-	-	-	-	3.5	- 093	1-1/4	3.25	100	4500	2.56	10000	4.6
- 053	1-3/4	-	-	-	-	-	3.8	- 095	1-1/2	4.11	100	3000	2.89	7500	5.3
- 054	2	-	-	-	-	-	4.5	- 097	1-3/4	4.61	100	2000	3.38	5000	6.1
								- 098	2	4.58	100	2000	3.66	5000	6.8
No. 0 'Loxox' Square Socket Bit or Yellow Handle Driver								No. 1 'Loxox' Square Socket Bit or Green Handle Driver							
8-32								10-24							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty				Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty	
- 133	1/4	\$2.04	100	7500	\$1.75	25000	2.8	- 185	1/4	\$2.83	100	7500	\$2.22	15000	4.1
- 134	5/16	2.14	100	7500	1.81	20000	3.2	- 187	3/8	2.92	100	7500	2.78	10000	4.8
- 135	3/8	2.17	100	7500	1.98	20000	3.4	- 189	1/2	3.14	100	7500	3.06	10000	5.4
- 137	1/2	2.73	100	7500	2.16	15000	3.9	- 190	5/8	3.53	100	4500	2.71	10000	6.2
- 138	5/8	2.93	100	7500	2.42	12000	4.5	- 191	3/4	3.73	100	4500	3.40	5500	6.9
- 139	3/4	3.09	100	4500	2.67	10000	5.0	- 192	7/8	-	-	-	-	-	7.6
- 140	7/8	-	-	-	-	-	5.6	- 193	1	4.11	100	3000	3.81	6000	8.3
- 141	1	3.70	100	4500	3.17	7500	6.2	- 195	1-1/4	4.69	100	3000	4.58	5000	9.7
- 143	1-1/4	4.31	100	3000	3.68	7000	7.3	- 197	1-1/2	5.77	100	2000	5.11	5000	11.1
- 145	1-1/2	5.67	100	2000	4.15	5000	8.3	- 199	1-3/4	7.06	100	2000	5.80	4000	12.5
- 147	1-3/4	7.04	100	2000	4.64	4000	9.4	- 200	2	8.41	100	1600	6.93	3000	13.8
- 148	2	7.80	100	2000	5.22	4000	10.6	- 201	2-1/4	-	-	-	-	-	15.2
- 149	2-1/4	-	-	-	-	-	11.8	- 202	2-1/2	8.77	100	1200	8.12	2000	16.6
- 150	2-1/2	8.74	100	1600	6.49	2500	12.9	- 204	3	11.33	100	800	9.85	1500	19.4
- 152	3	10.28	100	1200	7.92	2000	15.0	- 206	3-1/2	13.83	100	800	11.33	1000	22.2
- 154	3-1/2	-	-	-	-	-	-	- 208	4	14.23	100	800	13.85	800	25.0
- 156	4	-	-	-	-	-	-								
No. 2 'Loxox' Square Socket Bit or Red Handle Driver								No. 2 'Loxox' Square Socket Bit or Red Handle Driver							

Note: Please use Series and Size No. when ordering:

Example: 8-32 x 1-1/2 Pan Combination Head Steel Machine
Screws Plated
Series Size No.

Case - **1741** -145
Bulk - **B1741** -145

* Also available in Bulk **B1711** Truss Head Slot Machine Screws Plated.

B1712 Pan Head Slot Machine Screws Plated.

B177 Truss Head Socket Machine Screws Plated.

Revised January 10th, 2013




H. Paulin & Co., a division of The Hillman Group Canada ULC


L1R

1741*
Round
Head

ROUND COMBINATION HEAD STEEL MACHINE SCREWS



COMBINATION SQUARE/SLOT DRIVE
Zinc Plated



LIST PRICE PER 100 PIECES

10-32								12-24							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty				Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty	
- 213	1/4	\$3.40	100	7500	\$2.67	15000	4.3	- 246	1/2	\$5.56	100	4500	\$4.18	6000	6.6
- 215	3/8	3.44	100	7500	2.89	10000	5.0	- 248	3/4	6.11	100	3000	4.61	4000	8.1
- 217	1/2	3.76	100	7500	3.16	10000	5.8	- 250	1	6.56	100	3000	4.95	3000	9.7
- 218	5/8	4.28	100	4500	3.58	10000	6.6	- 254	1-1/2	7.81	100	2000	5.88	2500	13.2
- 219	3/4	4.49	100	4500	3.76	7500	7.3								
- 220	7/8	-	-	-	-	-	8.1								
- 221	1	5.32	100	3000	4.47	6000	8.9								
- 223	1-1/4	6.33	100	3000	5.31	5000	10.4								
- 225	1-1/2	7.05	100	2000	5.90	5000	11.9								
- 227	1-3/4	8.42	100	2000	7.06	4000	13.5								
- 228	2	8.92	100	1600	7.48	3000	15.0								
- 229	2-1/4	-	-	-	-	-	16.6								
- 230	2-1/2	9.21	100	1600	7.73	2000	18.1								
- 232	3	11.23	100	800	9.41	1500	21.2								
- 234	3-1/2	-	-	-	-	-	24.2								
- 236	4	-	-	-	-	-	27.3								

No. 2 `Loxxon` Square Socket Bit or Red Handle Driver

No. 3 `Loxxon` Square Socket Bit or Black Handle Driver

1/4-20								5/16-18							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty				Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty	
- 303	3/8	\$5.60	100	4500	\$4.70	5000	9.8	- 442	3/4	-	100	2000	\$12.37	2500	24.0
- 305	1/2	6.62	100	3000	5.55	5000	11.1	- 444	1	-	100	2000	12.95	2000	28.2
- 306	5/8	7.23	100	3000	6.06	5000	12.4	- 446	1-1/4	-	100	1600	15.07	2000	32.3
- 307	3/4	7.82	100	3000	6.55	4000	13.6	- 448	1-1/2	-	100	800	15.98	1500	36.5
- 308	7/8	-	-	-	-	-	14.9	- 450	1-3/4	-	100	600	18.20	1000	40.7
- 309	1	8.19	100	2000	6.67	3500	16.1	- 451	2	-	100	600	19.64	1000	44.8
- 311	1-1/4	9.55	100	1600	7.81	3000	18.7	- 453	2-1/2	-	100	600	23.44	1000	53.2
- 313	1-1/2	10.83	100	1600	8.89	2500	21.2	- 455	3	-	100	600	27.12	800	61.5
- 315	1-3/4	11.52	100	1600	10.50	2000	23.7								
- 316	2	12.45	100	1200	11.28	2000	26.2								
- 317	2-1/4	13.27	100	800	12.07	1500	28.8								
- 318	2-1/2	15.46	100	800	12.57	1200	31.3								
- 320	3	17.22	100	800	15.08	1000	36.4								
- 322	3-1/2	22.09	100	600	19.38	800	41.5								
- 324	4	24.73	100	600	21.86	600	46.6								

No. 3 `Loxxon` Square Socket Bit or Black Handle Driver

No. 4 `Loxxon` Square Socket Bit or Black Handle Driver

3/8-16															
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty				Plated 1741	Pkg Qty	Case Qty	Plated B1741	Bulk Qty	
- 487	3/4	-	100	1600	\$19.51	1500	38.0	- 496	2	-	100	600	\$32.37	800	67.6
- 489	1	-	100	1200	20.25	1200	44.0	- 498	2-1/2	-	100	600	37.31	800	79.5
- 493	1-1/2	-	100		26.97	1000	55.8	- 500	3	-	100	400	43.98	600	91.3
- 495	1-3/4	-	100	600	29.40	800	61.7	- 504	4	-	100	400	61.41	300	115.0

No. 4 `Loxxon` Square Socket Bit or Black Handle Driver



* See note on bottom of page K1.

February 2th, 2009

FLAT `LOXXON®` HEAD STEEL MACHINE SCREWS

SQUARE SOCKET DRIVE
Zinc Plated

176
Flat
Head



LIST PRICE PER 100 PIECES

6-32								8-32							
Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.
		176	Pkg Qty	Case Qty	B176	Bulk Qty				176	Pkg Qty	Case Qty	B176	Bulk Qty	
-085	3/8	\$2.27	100	7500	\$1.41	25000	2.1	-135	3/8	\$2.21	100	7500	\$1.50	20000	3.4
-087	1/2	2.38	100	7500	1.48	20000	2.4	-137	1/2	2.62	100	7500	1.99	15000	3.9
-088	5/8	2.60	100	7500	1.70	15000	2.8	-138	5/8	2.88	100	7500	2.07	12000	4.5
-089	3/4	2.74	100	7500	1.77	15000	3.2	-139	3/4	3.03	100	7500	2.51	10000	5.0
-090	7/8	-	-	-	-	-	3.5	-140	7/8	-	-	-	-	-	5.6
-091	1	2.94	100	7500	2.11	10000	3.9	-141	1	3.68	100	4500	3.03	7500	6.2
-093	1-1/4	3.52	100	4500	2.46	10000	4.6	-143	1-1/4	4.36	100	4500	3.60	7000	7.3
-095	1-1/2	3.79	100	4500	2.84	7500	5.3	-145	1-1/2	4.45	100	3000	4.02	5000	8.3
-097	1-3/4	4.34	100	3000	3.19	5000	6.1	-147	1-3/4	5.15	100	2000	4.26	4000	9.4
-098	2	4.48	100	2000	3.57	5000	6.8	-148	2	5.56	100	2000	4.61	4000	10.6
-099	2-1/4	-	-	-	-	-	7.6	-149	2-1/4	-	-	-	-	-	11.8
-100	2-1/2	-	-	-	-	-	8.3	-150	2-1/2	8.03	100	1600	6.56	2500	12.9
-102	3	-	-	-	-	-	9.8	-152	3	10.19	100	800	8.47	2000	15.0
No. 1 `Loxxon` Square Socket Bit or Green Handle Driver								No. 2 `Loxxon` Square Socket Bit or Red Handle Driver							
10-24								10-32							
Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.
		176	Pkg Qty	Case Qty	B176	Bulk Qty				176	Pkg Qty	Case Qty	B176	Bulk Qty	
-187	3/8	\$2.83	100	7500	\$2.07	10000	4.8	-215	3/8	\$2.85	100	7500	\$2.15	10000	5.0
-189	1/2	3.09	100	7500	2.37	10000	5.4	-217	1/2	3.06	100	7500	2.34	10000	5.8
-190	5/8	3.41	100	7500	2.79	10000	6.2	-218	5/8	3.53	100	4500	2.85	10000	6.6
-191	3/4	3.63	100	4500	3.15	7500	6.9	-219	3/4	3.96	100	4500	3.14	7500	7.3
-192	7/8	-	-	-	-	-	7.6	-220	7/8	-	-	-	-	-	8.1
-193	1	4.12	100	3000	3.82	6000	8.3	-221	1	4.33	100	3000	3.52	6000	8.9
-195	1-1/4	4.81	100	3000	4.40	5000	9.7	-223	1-1/4	4.90	100	3000	4.06	5000	10.4
-197	1-1/2	5.60	100	2000	5.32	5000	11.1	-225	1-1/2	5.88	100	2000	4.87	5000	11.9
-199	1-3/4	6.45	100	2000	6.02	4000	12.5	-227	1-3/4	6.64	100	2000	5.54	4000	13.5
-200	2	6.94	100	2000	6.63	3000	13.8	-228	2	7.32	100	2000	6.03	3000	15.0
-201	2-1/4	-	-	-	-	-	15.2	-229	2-1/4	-	-	-	-	-	16.6
-202	2-1/2	8.66	100	1200	7.06	2000	16.6	-230	2-1/2	9.00	100	1200	7.45	2000	18.1
-204	3	10.67	100	800	8.82	1500	19.4	-232	3	11.21	100	800	9.27	1500	21.2
No. 2 `Loxxon` Square Socket Bit or Red Handle Driver								No. 2 `Loxxon` Square Socket Bit or Red Handle Driver							

Note: Please use Series and Size No. when ordering:

Example: 8-32 x 1-1/2 Flat `Loxxon®` Head Steel Machine Screws Plated

Series Size No.

Case - 176 -145

Bulk - B176 -145

Stock Sizes are shown in **HEAVY** type.

July 21st, 2008



H. Paulin & Co., a division of The Hillman Group Canada ULC

L3


FLAT `LOXXON®` HEAD STEEL MACHINE SCREWS

SQUARE SOCKET DRIVE
Zinc Plated



176

Flat
Head

176



B176



LIST PRICE PER 100 PIECES

1/4-20															
Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.
		176	Pkg Qty	Case Qty	B176	Bulk Qty				176	Pkg Qty	Case Qty	B176	Bulk Qty	
-303	3/8	\$4.74	100	4500	\$3.92	5000	9.8	-313	1-1/2	\$10.81	100	1600	\$9.06	2500	21.2
-305	1/2	5.21	100	4500	4.37	5000	11.1	-315	1-3/4	11.41	100	1600	10.60	2000	23.7
-306	5/8	5.99	100	3000	5.01	5000	12.4	-316	2	12.05	100	1200	10.83	2000	26.2
-307	3/4	6.45	100	3000	5.41	4000	13.6	-317	2-1/4	-	-	-	-	-	28.8
-308	7/8	-	-	-	-	-	14.9	-318	2-1/2	15.56	100	800	13.46	1200	31.3
-309	1	7.70	100	2000	6.47	3500	16.1	-320	3	17.36	100	600	14.31	1000	36.4
-311	1-1/4	9.39	100	2000	7.87	3000	18.7								
No. 2 `Loxxon` Square Socket Bit or Red Handle Driver								No. 3 `Loxxon` Square Socket Bit or Black Handle Driver							

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 1/4-20 x 1/2 Flat `Loxxon®` Head Steel Machine Screws Plated

Series Size No.

Case - **176** -305



Bulk - **B176** -305

Other Head Styles, Drives and Materials: Price on Application.

PAN PHILLIPS HEAD MACHINE SCREWS

PHILLIPS DRIVE
Zinc Plated

173*
Round
Head



LIST PRICE PER 100 PIECES

4-40								5-40							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		173	Pkg Qty	Case Qty	B173	Bulk Qty				173	Pkg Qty	Case Qty	B173	Bulk Qty	
-039	1/4	\$3.41	100	7500	\$2.36	25000	1.0	-063	1/2	\$2.69	100	7500	\$1.77	20000	1.5
-040	5/16	3.14	100	7500	2.15	25000	1.2								
-041	3/8	2.59	100	7500	1.95	25000	1.3								
-043	1/2	2.84	100	7500	1.87	25000	1.6								
-045	3/4	3.34	100	7500	2.33	25000	2.1								
-047	1	3.84	100	7500	2.70	20000	2.5								
6-32								8-32							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		173	Pkg Qty	Case Qty	B173	Bulk Qty				173	Pkg Qty	Case Qty	B173	Bulk Qty	
-085	3/8	\$2.49	100	7500	\$1.92	25000	2.1	-133	1/4	\$3.11	100	7500	\$2.00	25000	2.8
-087	1/2	2.66	100	7500	2.05	20000	2.4	-135	3/8	3.50	100	7500	2.69	20000	3.4
-088	5/8	2.71	100	7500	1.79	15000	2.8	-137	1/2	3.87	100	7500	2.98	15000	3.9
-089	3/4	3.30	100	7500	2.53	15000	3.2	-138	5/8	4.05	100	7500	3.03	12000	4.5
								-139	3/4	4.56	100	7500	3.52	10000	5.0
-093	1-1/4	3.57	100	4500	2.72	10000	4.6	-140	7/8	4.75	100	4500	3.98	7500	5.6
-095	1-1/2	4.34	100	3000	3.06	7500	5.3	-141	1	5.46	100	4500	4.20	7500	6.2
-098	2	4.75	100	2000	3.81	5000	6.8	-143	1-1/4	5.93	100	3000	4.21	7000	7.3
								-145	1-1/2	6.79	100	2000	4.65	5000	8.3
								-147	1-3/4	7.30	100	2000	4.81	4000	9.4
								-148	2	7.96	100	2000	5.33	4000	10.6
								-149	2-1/4	8.73	100	2000	6.37	4000	11.8
								-150	2-1/2	8.91	100	1600	6.62	2500	12.9
								-152	3	10.61	100	1600	8.18	2000	15.0
No. 2 Phillips Bit or Driver								No. 2 Phillips Bit or Driver							

Note: Please use Series and Size No. when ordering:

Example: 4-40 x 1/4 Pan Phillips Head
Steel Machine Screws Plated
Series Size No.

Case - 173 -039
Bulk - B173 -039

Stock Sizes are shown in **HEAVY** type.
We reserve the right to substitute Pan for Round.

* Also available in Bulk **B175** Oval Head Phillips Machine Screws Plated.

B1734 Truss Head Phillips Machine Screws Plated.

B1731 Flat Head Phillips Machine Screws Plated.

September 24, 2009





H. Paulin & Co., a division of The Hillman Group Canada ULC

L5R

PAN PHILLIPS HEAD MACHINE SCREWS

PHILLIPS DRIVE
Zinc Plated

173*
Round
Head



LIST PRICE PER 100 PIECES

10-24								10-32							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		173	Pkg Qty	Case Qty	B173	Bulk Qty				173	Pkg Qty	Case Qty	B173	Bulk Qty	
-187	3/8	\$4.63	100	7500	\$3.57	10000	4.8	-215	3/8	\$4.70	100	7500	\$3.62	10000	5.0
-189	1/2	4.95	100	7500	3.79	10000	5.4	-217	1/2	4.94	100	7500	3.79	10000	5.8
-191	3/4	5.97	100	4500	4.59	7500	6.9	-218	5/8	5.19	100	4500	4.02	10000	6.6
-193	1	6.73	100	3000	5.18	6000	8.3	-219	3/4	6.09	100	4500	4.69	7500	7.3
-195	1-1/4	6.98	100	3000	5.60	5000	9.7	-221	1	7.09	100	3000	5.45	6000	8.9
-197	1-1/2	7.21	100	2000	5.80	5000	11.1	-223	1-1/4	7.19	100	3000	5.59	5000	10.4
-199	1-3/4	7.31	100	2000	6.02	4000	12.5	-225	1-1/2	7.42	100	2000	6.22	5000	11.9
-200	2	8.84	100	1600	7.30	3000	13.8	-228	2	9.08	100	1600	7.62	3000	15.0
-204	3	11.54	100	800	10.03	1500	19.4	-230	2-1/2	9.54	100	1200	8.00	2000	18.1
-206	4	16.64	100	800	12.81	1000	22.2	-232	3	11.44	100	800	9.59	1500	21.2
No. 2 Phillips Bit or Driver								No. 2 Phillips Bit or Driver							
1/4-20								5/16-18							
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		173	Pkg Qty	Case Qty	B173	Bulk Qty				173	Pkg Qty	Case Qty	B173	Bulk Qty	
-303	3/8	\$5.82	100	4500	\$4.88	5000	9.8	-440	1/2	\$5.36	100	2000	\$4.67	2500	22.0
-305	1/2	8.76	100	3000	6.74	5000	11.1	-442	3/4	6.26	100	2000	5.18	2500	24.0
-306	5/8	9.50	100	3000	7.29	5000	12.4								
-307	3/4	10.37	100	3000	7.97	4000	13.6								
-308	7/8	10.91	100	2000	8.40	4000	14.9								
-309	1	12.49	100	2000	9.61	3500	16.1								
-311	1-1/4	12.54	100	1600	10.35	3000	18.7								
-313	1-1/2	12.67	100	1600	10.64	2500	21.2								
-316	2	15.20	100	800	12.75	2000	26.2								
-318	2-1/2	18.26	100	800	15.32	1200	31.3								
-320	3	21.64	100	600	18.15	1000	36.4								
-322	3-1/2	25.02	100	600	20.99	800	41.5								
-324	4	31.55	100	600	27.35	600	46.6								
No. 3 Phillips Bit or Driver								No. 3 Phillips Bit or Driver							

Note: Please use Series and Size No. when ordering:

Example: 10-24 x 3/8 Pan Phillips Head
Steel Machine Screws Plated

Series Size No.

Case - 173 -187
Bulk - B173 -187

Stock Sizes are shown in **HEAVY** type.
We reserve the right to substitute Pan for Round.

* Also available in Bulk **B175** Oval Head Phillips Machine Screws Plated.

B1734 Truss Head Phillips Machine Screws Plated.


B1731 Flat Head Phillips Machine Screws Plated.

STEEL MACHINE SCREW NUTS

HEXAGON and SQUARE

Zinc Plated

184
Hex




185
Square

184
185



B184
B185



LIST PRICE PER 100 PIECES

Size No.	Bolt Diameter Inches	CASE-Plated		Pkg Qty	Case Qty	BULK-Plated		Bulk Qty	Approx. Wt. 1000 Pcs.	Dimensions	
		Hex 184	Square 185			Hex B184	Square B185			Across Flats	Thickness
-002	2-56	\$1.29	-	100	7500	\$1.18	-	25000	.41	3/16	1/16
-003	3-48	1.36	-	100	7500	1.25	-	25000	.39	3/16	1/16
-004	4-40	1.43	-	100	7500	1.31	-	20000	1.10	1/4	3/32
-005	5-40	1.43	-	100	7500	1.31	-	20000	2.15	5/16	7/64
-006	6-32	1.44	\$1.89	100	7500	1.24	\$1.74	20000	2.10	5/16	7/64
-008	8-32	1.65	2.16	100	7500	1.42	1.99	20000	2.80	11/32	1/8
-010	10-24	1.75	2.32	100	7500	1.51	2.14	15000	3.30	3/8	1/8
-011	10-32	1.75	2.32	100	7500	1.51	2.14	15000	3.30	3/8	1/8
-012	12-24	3.15	-	100	7500	1.88	-	10000	5.60	7/16	5/32
-014	1/4-20	3.44	4.76	100	7500	2.47	3.55	7500	6.10	7/16	3/16
-015	1/4-28	3.44	-	100	7500	2.47	-	7500	6.10	7/16	3/16
-016	5/16-18	6.35	8.03	100	3000	4.56	4.46	5000	12.10	9/16	7/32
-018	3/8-16	8.38	12.19	100	2000	6.42	11.24	3000	15.80	5/8	1/4

Note: Please use Series and Size No. when ordering:

Example: 10-24 Hexagon Steel Machine Screw Nuts Plated.

Series Size No.

Case - **184** -010

Bulk - **B184** -010


Weights shown are for Hex Machine Screw Nuts,
Square Nuts are approximately 25% heavier.

Stock Sizes are shown in **HEAVY** type.


STOVE BOLTS

With Hex Machine Screw Nuts

196
Round
Combo



Round Combination Square/Slot
& Flat Square Socket
Zinc Plated



195
Flat
Head

Standard Package 100 Bolts and Nuts

195
196



LIST PRICE PER 100 PIECES

1/8 (6-32)							5/32 (8-32)						
Size No.	Length Inches	PACKAGED				Approx Weight 1000 Pcs.	Size No.	Length Inches	PACKAGED				Approx Weight 1000 Pcs.
		Round 196	Flat 195	Pkg Qty	Case Qty				Round 196	Flat 195	Pkg Qty	Case Qty	
-087	1/2	\$4.47	\$4.47	100	2000	4.5	-137	1/2	\$6.36	\$6.36	100	4500	6.9
-089	3/4	4.76	4.69	100	4500	5.1	-139	3/4	6.71	6.71	100	4500	8.0
-091	1	4.85	4.85	100	4500	5.7	-141	1	7.21	7.21	100	4000	9.2
-093	1-1/4	7.01	7.01	100	4500	6.4	-143	1-1/4	8.19	8.19	100	4000	10.3
-095	1-1/2	7.90	7.90	100	3000	7.0	-145	1-1/2	9.18	9.18	100	2000	11.4
-097	1-3/4	8.64	8.64	100	3000	7.6	-147	1-3/4	10.30	10.30	100	3000	12.5
-098	2	8.93	8.93	100	2000	8.3	-148	2	11.35	11.35	100	3000	13.7
3/16 (10-24)							1/4-20						
Size No.	Length Inches	PACKAGED				Approx Weight 1000 Pcs.	Size No.	Length Inches	PACKAGED				Approx Weight 1000 Pcs.
		Round 196	Flat 195	Pkg Qty	Case Qty				Round 196	Flat 195	Pkg Qty	Case Qty	
-189	1/2	\$5.46	\$5.46	100	4500	8.9	-305	1/2	\$8.43	\$8.43	100	2000	17.4
-190	5/8	5.75	5.75	100	4500	9.6	-306	5/8	8.95	8.95	100	2000	18.7
-191	3/4	5.85	5.85	100	3000	10.4	-307	3/4	9.20	9.20	100	2000	20.0
-193	1	6.04	6.04	100	3000	11.8	-309	1	9.67	9.67	100	1600	22.6
-195	1-1/4	6.69	6.69	100	2000	13.3	-311	1-1/4	10.53	10.53	100	1600	25.2
-197	1-1/2	7.30	7.30	100	2000	14.7	-313	1-1/2	11.58	11.58	100	1600	27.8
-199	1-3/4	9.54	9.54	100	2000	16.2	-315	1-3/4	13.00	13.00	100	1200	30.4
-200	2	10.29	10.29	100	1600	17.6	-316	2	14.74	14.74	100	800	33.0
-201	2-1/4	-	-	100	1600	19.1	-317	2-1/4	16.17	16.17	100	800	35.6
-202	2-1/2	11.97	11.97	100	1200	20.5	-318	2-1/2	16.95	16.95	100	800	38.2
-204	3	13.90	13.90	100	1200	23.4	-320	3	17.92	17.92	100	800	43.4
-206	3-1/2	15.56	15.56	100	800	26.3	-322	3-1/2	22.96	22.96	100	600	48.6
-208	4	17.22	17.22	100	800	29.2	-324	4	25.45	25.45	100	600	53.8

Weights shown include Nuts.

For Stove Bolts in Bulk see Machine Screws

Stock Sizes are shown in **HEAVY** type.

Note: Please use Series and Size No. when ordering:

Example: 1/4-20 x 1/2 Flat Socket Head Stove Bolts

Series Size No.

Case - **195** **-305**



Other Head Styles, Drives and Materials: Price on Application.

STOVE BOLTS

With Hex Machine Screw Nuts

Round Combination Square/Slot
& Flat Square Socket
Zinc Plated

196
Round
Combo



195
Flat
Head

195
196



Standard Package 100 Bolts and Nuts

LIST PRICE PER 100 PIECES

5/16-18							3/8-16						
Size No.	Length Inches	PACKAGED				Approx Weight 1000 Pcs.	Size No.	Length Inches	PACKAGED				Approx Weight 1000 Pcs.
		Round 196	Flat 195	Pkg Qty	Case Qty				Round 196	Flat 195	Pkg Qty	Case Qty	
-440	1/2	\$17.15	\$17.15	100	1600	32.5	-485	1/2	\$25.73	\$25.73	100	800	48.6
-441	5/8	17.57	17.57	100	1600	34.6	-486	5/8	25.89	25.89	100	800	51.7
-442	3/4	17.67	17.67	100	800	36.7	-487	3/4	26.53	26.53	100	800	54.7
-444	1	18.61	18.61	100	800	40.9	-489	1	27.93	27.93	100	800	60.9
-446	1-1/4	19.87	19.87	100	800	45.0	-491	1-1/4	30.91	30.91	100	600	67.0
-448	1-1/2	20.41	20.41	100	800	49.2	-493	1-1/2	34.30	34.30	100	600	73.1
-450	1-3/4	23.17	23.17	100	800	53.3	-495	1-3/4	36.31	36.31	100	600	79.2
-451	2	23.47	23.47	100	600	57.5	-496	2	38.55	38.55	100	600	85.3
-453	2-1/2	25.64	25.64	100	600	65.8	-498	2-1/2	42.36	42.36	100	400	97.5
-455	3	29.32	29.32	100	600	74.2	-500	3	46.98	46.98	100	400	109.8
-457	3-1/2	37.52	37.52	100	600	82.5	-502	3-1/2	59.14	59.14	100	400	122.0
-459	4	42.39	42.39	100	400	90.8	-504	4	65.41	65.41	100	400	134.2

Weights shown include Nuts.

Stock Sizes are shown in HEAVY type.

For Stove Bolts in Bulk see Machine Screws

Note: Please use Series and Size No. when ordering:


Example: 3/8-16 x 1/2 Flat Socket Head Stove Bolts

Series Size No.

Case - 195 -485

Other Head Styles, Drives and Materials: Price on Application.

222
Series



BREAK AWAY SCREWS

Zinc Plated

Break Away Screws are notched at various points along the shaft in order to provide the correct length required depending on drawer front thickness. Insert Screw through drawer front - determine length needed - break off excess length with pliers and attach knob.

Round Combination
Phillips/Slot
Zinc Plated




LIST PRICE PER 100 PIECES

Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.
		222	Pkg Qty	Case Qty	B222	Bulk Qty				222	Pkg Qty	Case Qty	B222	Bulk Qty	
-527	M4 x 2	\$13.77	100	2500	\$10.61	4000	10.6	-528	8-32 x 2	\$13.83	100	2500	\$10.68	4000	10.6

Stock Sizes are shown in HEAVY type.

400
Series




SWITCH PLATE SCREWS

Zinc Plated

Switch Plate Screws are colour-coded. These Oval Slot Machine Screws are used to attach face plates to receptacles, switches, dimmer switches, etc. Keep a supply of Switch Plate Screws on hand whenever electrical trouble shooting, repairs or installations are being performed.

Slotted Drive



LIST PRICE PER 100 PIECES

Size No.	Dia. X Length Under Head Inches	Screw Colour	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	Screw Colour	PACKAGED			BULK		Approx Weight 1000 Pcs.
			400	Pkg Qty	Case Qty	B400	Bulk Qty					400	Pkg Qty	Case Qty	B400	Bulk Qty	
-125	6-32x1/2	Ivory	\$9.01	50	4000	\$8.24	15000	2.4	-127	6-32x1/2	White	\$8.99	50	4000	\$8.54	15000	2.4
-126	6-32x1/2	Brown	9.07	50	4000	8.30	15000	2.4	-128	6-32x1/2	Brass	20.45	50	4000	19.33	15000	2.4

Stock Sizes are shown in HEAVY type.

July 21st, 2008

Paulin

H. Paulin & Co., a division of The Hillman Group Canada ULC

L9


SPECIALTY SCREWS



214	Round Washer Square /Phillips Drive Type '17' Pocket Hole Face Frame Screws - Lubricated	M1
1974	Flat Head Square/Phillips ASTER® Thread Cutting Screw - Lubricated	M1
222	Flat Head Square Drive Particle Board Screws - Zinc & Lubricated	M2
222	Round Washer Head Square Drive Particle Board Screws - Zinc & Lubricated	M2
214	Flat Head Square Drive Flooring Screws - Phos.	M3
222	Round Socket Head Square Drive Particle Board Screws - Zinc & Lubricated	M3
225	Flat Head Six-Lobe Tri-Lobular Floorboard Screws - Phos. & Oil	M4
225	Flat Head Square Drive Type 'F' Floorboard Screws - Zinc	M4
225	Flat Head Phillips Drive Type 'F' Floorboard Screws - Zinc	M4
211	Round Head U-Drive Screws - Zinc	M5
216	Standard Thumb Screws - Zinc	M6
217	Shoulder Thumb Screws - Zinc	M6
222	Dowel Screws - Bare	M7
126	Roofing/Siding Screws- Zinc	M8
222	Soffit Screws- Zinc	M8

AVAILABLE IN THE FOLLOWING PACKAGES:


BULK PACKING




PAIL PACKING




PACKAGE/CASE PACKING



CONTRACTOR PACKAGING



CLAMSHELL PACKAGE/CASE PACKING



POCKET HOLE SCREWS (FACE FRAMING)

Coarse Thread
ROUND WASHER HEAD
SQUARE/PHILLIPS DRIVE
Type 17



Bare Metal & Lubricated

LIST PRICE PER 100 PIECES

No. 7 DIA.															
Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	CASE			BULK		Approx Weight 1000 Pcs.
		Bare 214	Pkg Qty	Case Qty	Bare B214	Bulk Qty				Bare 214	Pkg Qty	Case Qty	Bare B214	Bulk Qty	
- 948	1-1/4	\$3.98	350	2800	\$3.07	8000	6.5	- 950	1-1/2	\$4.07	250	2000	\$3.34	7500	7.4

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 7 x 1-1/4 Pocket Hole Screws Lubricated



Series Size No.

Case - 214 -948

Bulk - B214 -948

FLAT SQUARE/PHILLIPS ASTER® SCREWS

SQUARE/PHILLIPS DRIVE
Bare Metal & Lubricated




Aster® Screws are specifically designed for hardwood applications. They provide a greater holding strength than a 'Type 17' screw and thread cutting screw. These screws require no pre-drilling and their thread design prevents wood from splitting.

1974



B1974



LIST PRICE PER 100 PIECES

No. 8 DIA.								No. 10 DIA.							
Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.
		Bare 1974	Pkg Qty	Case Qty	Bare B1974	Bulk Qty				Bare 1974	Pkg Qty	Case Qty	Bare B1974	Bulk Qty	
- 137	1/2	\$6.25	100	7500	\$3.69	15000	3.30	- 193	1	\$9.86	100	4500	\$8.36	7500	6.6
- 138	5/8	6.55	100	7500	4.49	15000	3.80	- 197	1-1/2	12.93	100	2000	11.12	5000	10.0
- 139	3/4	7.71	100	7500	5.34	15000	4.20	- 200	2	14.05	100	2000	12.42	3000	12.6
- 141	1	9.46	100	4500	6.84	10000	4.90	- 202	2-1/2	15.33	100	1200	13.75	2000	16.3
- 143	1-1/4	10.70	100	4500	8.49	7500	6.20	- 204	3	16.52	100	800	14.86	1500	20.1
- 145	1-1/2	12.72	100	3000	10.29	6000	7.40								
- 147	1-3/4	15.05	100	2000	11.97	5000	8.70								
- 148	2	17.37	100	2000	13.57	4000	9.60								
- 149	2-1/4	19.01	100	1600	14.62	3000	11.00								
- 150	2-1/2	18.83	100	1600	15.73	2500	11.07								
- 152	3	21.04	100	800	18.84	1500	14.90								

No. 2 'Loxon' Square Socket Bit or Red Handle Driver

No. 2 'Loxon' Square Socket Bit or Red Handle Driver

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 8 x 1/2 Flat Square/Phillips Aster Screw.

Series Size No.

Case - 1974 -137

Bulk - B1974 -137



H. Paulin & Co., a division of The Hillman Group Canada ULC




July 21st, 2008

M1

FLAT 'LOXXON®' HEAD PARTICLE BOARD SCREWS

222
Zinc
Plated

SQUARE DRIVE
Zinc and Waxed
Coarse Thread



Also available in selected
sizes in Fast-Pac® jars
See section 'O'

Particle Board screws are recommended for
use in any construction of particle board. Flat
heads provide a flush finish. Extra deep
threads for maximum pullout strength.




LIST PRICE PER 100 PIECES

Size No.	Dia. X Length Overall Inches	CASE 100's			CASE 500's — 350'S — 250'S				BULK-Plated			Approx. Weight 1000 pcs.
		CL			PP				BULK			
		222	Pkg Qty	Case Qty	Size No.	222	Pkg Qty	Case Qty	Size No.	B222	Bulk Qty	
- 419	6 x 1/2	\$2.66	100	6000	-	-	-	-	- 419	\$2.16	25000	1.7
- 420	6 x 5 /8	2.88	100	6000	- 448†	\$2.69	500	10000	- 420	2.34	25000	2.2
- 481	8 x 1/2	3.07	100	6000	- 437†	2.87	500	10000	- 421	2.54	17500	2.5
- 482	8 x 5/8	3.10	100	3000	- 438†	2.76	500	7500	- 422	2.53	15000	3.0
- 483	8 x 3/4	3.14	100	3000	- 447†	2.87	500	7500	- 423	2.55	15000	3.5
- 484	8 x 1	3.16	100	3000	- 440	2.81	500	6000	- 424	2.57	10000	4.5
- 485	8 x 1-1/8	3.21	100	3000	- 439	2.85	500	6000	- 425	2.61	7500	5.0
- 486	8 x 1-1/4	3.44	100	2000	- 441	2.98	500	6000	- 426	2.66	7500	5.5
- 487	8 x 1-1/2	3.94	100	2000	- 442	3.51	500	6000	- 427	3.23	6000	6.5
- 488	8 x 1-3/4	4.51	100	2000	-	-	-	-	- 428	3.39	5000	7.1
- 489	8 x 2	4.94	100	1500	- 443	4.23	500	4000	- 429	3.76	4000	7.5
- 491*	8x2 1/2	5.80	100	1200	- 444	4.99	350	2800	- 431	4.45	2500	10.0
- 492*	8 x 3	7.31	100	1200	- 445	6.44	250	1500	- 432	5.51	2000	11.1

ROUND WASHER 'LOXXON®' HEAD PARTICLE BOARD SCREWS

222
Zinc
Plated

SQUARE DRIVE
Zinc and Waxed
Coarse Thread



Also available in selected
sizes in Fast-Pac® jars
See section 'O'

Particle Board screws are recommended for
use in any construction of particle board. Round
Washer heads allow for adjustment where
alignment of pieces are necessary. Extra deep
threads for maximum pullout strength.

LIST PRICE PER 100 PIECES

No. 8 DIA.												
Size No.	Dia. X Length Under head Inches	CASE 100's			CASE 500's — 350'S — 250'S				BULK-Plated			Approx. Weight 1000 pcs.
		CL			PP				BULK			
		222	Pkg Qty	Case Qty	Size No.	222	Pkg Qty	Case Qty	Size No.	B222	Bulk Qty	
- 550	1	\$4.39	100	2000	- 470	\$3.92	500	6000	- 450	\$3.60	7500	4.8
- 551	1-1/8	4.51	100	2000	- 471	4.01	500	6000	- 451	3.67	6000	6.0
- 552	1-1/4	4.88	100	2000	- 472	4.33	500	6000	- 452	3.97	6000	6.5
- 553	1-1/2	5.19	100	1500	- 473	4.62	500	4000	- 453	4.25	5000	7.4
- 554	1-3/4	5.67	100	1500	- 474	4.98	500	4000	- 454	4.55	4000	8.4
- 555	2	6.08	100	1500	- 475	5.51	500	3000	- 455	4.99	4000	9.4
- 557*	2 1/2	7.30	100	1200	- 477	6.44	350	2800	- 457	5.88	2000	12.5
- 559*	3	8.77	100	1200	- 479	8.04	250	2000	- 459	6.93	2000	13.5


NOTE: Particle Board Screws are not considered
wood screws and may have different thread dimensions.

Stock Sizes are shown in **HEAVY** type.

FLAT 'LOXXON®' HEAD FLOOR SCREWS (THREAD HI-FORM 1®)

214
Phosphate


SQUARE DRIVE
Phosphate




214




214*



214



B214



Also available in selected sizes in Fast-Pac® jars
See section 'O'

LIST PRICE PER 100 PIECES

No. 8 DIA.

Size No.	Dia. X Length Overall Inches	CASE 100's			CASE 500's—350's—250's				1/8 KEG			BULK			Weight 1000 Pcs.
		CL			PP				BK			BULK			
		214	Pkg Qty	Case Qty	Size No.	214	Pkg Qty	Case Qty	Size No.	214	Bulk Qty	Size No.	B214	Bulk Qty	
- 990	1-1/4	\$2.31	100	3000	- 910	\$2.16	500	6000	- 920	\$2.12	3700	- 900	\$2.06	7500	5.0
- 991	1-1/2	2.66	100	3000	- 911	2.54	500	6000	- 941	2.50	3000	- 901	2.45	6000	5.6
- 992	1-3/4	3.04	100	2000	- 912	2.83	500	4000	- 942	2.75	2000	- 902	2.68	5000	6.7
- 993	2	3.44	100	1500	- 913	3.33	500	4000	- 943	3.31	1800	- 903	3.26	3000	7.5
- 994*	2-1/2	4.39	100	1200	- 915	4.16	350	2800	- 945	4.11	1200	- 905	4.08	2500	10.0
- 995*	3	5.06	100	1200	- 917	4.84	250	2000	- 930	4.77	1000	- 907	4.65	1500	11.1

No. 2 'Loxxon' Square Socket Bit or Red Handle Driver

Note: Please use Series and Size No. when ordering:

Example: 8 x 1-1/4 Floor Screw Hi-Low Thread Phosphate Coated

Series Size No.

Case 100's - **214** -900

Case 500's - **214** -910

1/8 Keg - **214** -920

Bulk - **B214** -900

Stock Sizes are shown in **HEAVY** type.

NOTE: Flooring Screws are not considered wood screws and may have different thread dimensions.

Other Head Styles, Drives and Materials: Price on Application.


ROUND SOCKET 'LOXXON®' HEAD PARTICLE BOARD SCREWS

222
Zinc Plated

222



B222



SQUARE DRIVE
Zinc and Lubricated
Coarse Thread



Round Socket Head either plain zinc or with white painted heads are recommended for all cabinetry accessories such as hinges, glides, runners etc.

LIST PRICE PER 100 PIECES

ZINC PLATED AND LUBRICATED															
Size No.	Dia. X Length Under Head Inches	PACKAGED			Size No.	BULK			Approx Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	PACKAGED			Approx Weight 1000 Pcs.
		222	Pkg Qty	Case Qty		B222	Bulk Qty					222	Pkg Qty	Case Qty	
-463	8x1/2	\$4.33	100	6000	-433	\$3.76	15000	3.3		-465	8x3/4	\$4.39	100	3000	4.2
-464	8x5/8	4.36	100	3000	-434	3.84	15000	3.8		-466	8x1	4.42	100	3000	4.9
PAINTED WHITE HEADS															
Size No.	Dia. X Length Under Head Inches	PACKAGED			Size No.	BULK			Approx Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	PACKAGED			Approx Weight 1000 Pcs.
		222	Pkg Qty	Case Qty		B222	Bulk Qty					222	Pkg Qty	Case Qty	
-695	8x5/8	\$7.28	100	3000	-	\$6.71	15000	3.8		-697	8x1-1/4	\$9.14	100	2000	6.2
-696	8x3/4	7.65	100	3000	-	7.06	12000	4.2		-694	8x1-1/2	9.37	100	2000	7.4
-698	8x1/2	7.89	100	3000	-	7.31	10000	3.3		-		-	-	-	

FLAT (6-LOBE) HEAD STEEL FLOORBOARD SCREWS

Tri-Lobular Point - Phosphate and Oil Finish


Type "F"

225
Series

225



B225



Used to fasten wood plank, laminated plywood or corrugated aluminum flooring to the supporting steel cross members of truck and trailers.

LIST PRICE PER 100 PIECES

1/4-20									5/16-18								
Size No.	Length Overall Inches	CASE			BULK			Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK			Approx Weight 1000 Pcs.
		225	Pkg Qty	Case Qty	Size No.	B225	Bulk Qty				225	Pkg Qty	Case Qty	Size No.	B225	Bulk Qty	
-890	1	\$9.52	50	1600	-950	\$7.61	3000	13.0	-	1	-	-	-	-	-	-	-
-891	1-1/4	13.43	50	1600	-951	10.75	3000	15.6	-	1-1/4	-	-	-	-	-	-	-
-892	1-1/2	14.11	50	1200	-952	11.28	2000	18.5	-	1-1/2	-	-	-	-	-	-	-
-	1-3/4	-	-	-	-953	12.10	2000	22.5	-896	1-3/4	\$24.93	50	1200	-970	\$19.94	1400	34.3
-893	2	17.12	50	1200	-954	13.70	1800	23.2	-897	2	28.56	50	800	-971	22.84	1200	37.5
-	2-1/4	-	-	-	-955	16.52	1400	25.7	-	2-1/4	-	-	-	-972	24.86	1000	42.0
-894	2-1/2	20.14	50	800	-956	16.11	1200	29.2	-898	2-1/2	33.98	50	600	-973	27.18	800	47.5
-895	3	25.46	50	600	-958	20.37	1000	33.0	-	3	-	-	-	-975	33.30	600	68.3
-	3-1/2	-	-	-	-960	22.48	800	40.0	-	3-1/2	-	-	-	-	-	-	-
-	4	-	-	-	-962	29.45	500	46.0	-	4	-	-	-	-	-	-	-

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 1/4-20 x 1 Flat (6-Lobe) Head Steel Floorboard Screw


Series Size No.

Case **225** **-890**
Bulk - **B225** **-950**

Other Head Styles, Drives and Materials: Price on Application.

FLAT HEAD STEEL FLOORBOARD SCREWS

PHILLIPS



TYPE 'F'

Phillips or Socket Drive

Zinc Plated




SOCKET



225



B225



LIST PRICE PER 100 PIECES

1/4-20 PHILLIPS HEAD								1/4-20 'LOXXON'® (SOCKET) HEAD							
Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE			BULK		Approx Weight 1000 Pcs.
		225	Pkg Qty	Case Qty	B225	Bulk Qty				225	Pkg Qty	Case Qty	B225	Bulk Qty	
-792	1-1/2	\$13.57	100	1600	\$10.85	2000	18.5	-752	1-1/2	\$13.43	100	1600	\$10.75	2000	18.5
-793	2	16.47	100	1200	13.18	1800	23.2	-753	2	16.31	100	1200	13.05	1800	23.2
-794	2-1/2	19.37	100	800	15.50	1200	29.2	-754	2-1/2	19.18	100	800	15.34	1200	29.2
-795	3	24.49	100	600	19.59	1000	33.0	-755	3	24.25	100	600	19.40	1000	33.0
-796	3-1/2	27.03	100	600	21.62	800	33.0	-756	3-1/2	26.76	100	600	21.41	1000	33.0
-797	4	35.41	100	600	28.33	600	33.0	-757	4	35.06	100	600	28.05	600	33.0

Note: Please use Series and Size No. when ordering:

Stock Sizes are shown in **HEAVY** type.

Example: 1/4-20 x 1-1/2 Flat Socket Head Steel Floorboard Screw Type 'F'

Series Size No.

Case **225** **-752**
Bulk - **B225** **-752**

Other Head Styles, Drives and Materials: Price on Application.

Revised December 1st, 2008

M4R

paulin

H. Paulin & Co., a division of The Hillman Group Canada ULC

ROUND HEAD STEEL DRIVE SCREWS

TYPE 'U'
CASE HARDENED
Zinc Plated

211
Series



LIST PRICE PER 100 PIECES

No. 00 DIA.							No. 0 DIA.						
Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.
		211	Case Qty	B211	Bulk Qty				211	Case Qty	B211	Bulk Qty	
-002	1/8	\$9.14	1000	\$6.31	10000	.105	-006	1/8	\$9.14	1000	\$6.31	10000	.211
-004	3/16	9.14	1000	6.31	10000	.137	-008	3/16	9.14	1000	6.31	10000	.275
-005	1/4	9.14	1000	6.31	10000	.143	-010	1/4	9.14	1000	6.31	10000	.278
No. 2 DIA.							No. 4 DIA.						
Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.
		211	Case Qty	B211	Bulk Qty				211	Case Qty	B211	Bulk Qty	
-012	1/8	\$9.14	1000	\$6.31	10000	.41	-036	1/8	\$11.43	1000	\$7.89	10000	.6
-014	3/16	8.71	1000	6.01	10000	.59	-038	3/16	7.77	1000	5.36	10000	.9
-015	1/4	8.85	1000	6.11	10000	.61	-039	1/4	7.65	1000	5.27	10000	1.0
-016	5/16	9.14	1000	6.31	10000	.69	-040	5/16	7.87	1000	5.43	10000	1.1
No. 6 DIA.							No. 7 DIA.						
Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.
		211	Case Qty	B211	Bulk Qty				211	Case Qty	B211	Bulk Qty	
-083	1/4	\$7.65	1000	\$5.27	10000	1.7	-107	1/4	\$6.07	1000	\$4.20	10000	2.0
-084	5/16	4.22	1000	2.91	10000	1.8	-108	5/16	6.53	1000	4.50	10000	2.2
-085	3/8	4.20	1000	2.90	10000	2.0	-109	3/8	6.88	1000	4.74	10000	2.8
-087	1/2	5.57	1000	3.84	10000	2.4	-111	1/2	7.36	1000	5.08	10000	3.2
No. 8 DIA.							No. 10 DIA.						
Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.
		211	Case Qty	B211	Bulk Qty				211	Case Qty	B211	Bulk Qty	
-135	3/8	\$5.54	1000	\$3.83	8000	3.2	-187	3/8	\$7.93	1000	\$5.47	5000	4.0
-137	1/2	5.88	1000	4.07	7000	3.4	-189	1/2	8.22	1000	5.66	5000	4.6
-138	5/8	8.41	1000	5.79	6000	3.6	-190	5/8	9.24	1000	6.38	4000	5.2
No. 12 DIA.							No. 14 DIA.						
Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.	Size No.	Length Under Head Inches	*PACKAGED		BULK		Approx Weight 1000 Pcs.
		211	Case Qty	B211	Bulk Qty				211	Case Qty	B211	Bulk Qty	
-246	1/2	\$12.49	1000	\$8.61	4000	7.2	-276	1/2	\$15.78	1000	\$10.87	2000	11.1
-247	5/8	13.24	1000	9.15	4000	8.0	-277	5/8	17.66	1000	12.19	2000	12.3
-248	3/4	14.15	1000	9.77	3000	8.9	-278	3/4	18.40	1000	12.70	2000	13.5

Note: Please use Series and Size No. when ordering:

Example: 8 x 1/2 Round Head Steel Drive Screw Type 'U' Plated.

Series Size No.

Packaged - 211 -137
Bulk - B211 -137

Stock Sizes are shown in HEAVY type.

September 24, 2009




H. Paulin & Co., a division of The Hillman Group Canada ULC

M5R


THUMB SCREWS

Steel
Zinc Plated




STANDARD

216
Series



SHOULDER

217
Series



LIST PRICE PER 100 PIECES

6-32									8-32								
Size No.	Length Overall Inches	PACKAGED			BULK			Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	PACKAGED			BULK			Approx Weight 1000 Pcs.
		Std. 216	Shldr 217	Pkg. Qty.	Std. B216	Shldr B217	Bulk Qty.				Std. 216	Shldr 217	Pkg. Qty.	Std. B216	Shldr B217	Bulk Qty.	
-083	1/4	\$36.54	\$48.70	100	\$29.18	\$38.91	15000	1.8	-133	1/4	-	-	-	-	-	-	-
-085	3/8	36.86	49.28	100	29.50	39.42	15000	2.5	-135	3/8	\$37.18	\$48.83	100	\$29.70	\$39.04	10000	5.0
-087	1/2	36.92	50.05	100	29.55	40.00	15000	2.5	-137	1/2	37.30	52.35	100	29.80	41.86	10000	5.0
-088	5/8	37.89	51.07	100	30.27	40.83	15000	3.1	-138	5/8	38.21	53.12	100	30.53	42.43	10000	5.6
-089	3/4	38.85	51.84	100	31.04	41.41	15000	3.7	-139	3/4	39.30	54.72	100	31.42	43.71	9000	5.6
-091	1	40.32	53.06	100	32.19	42.43	10000	5.0	-141	1	40.64	56.06	100	32.51	44.86	7500	7.5
10-24									10-32								
Size No.	Length Overall Inches	PACKAGED			BULK			Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	PACKAGED			BULK			Approx Weight 1000 Pcs.
		Std. 216	Shldr 217	Pkg. Qty.	Std. B216	Shldr B217	Bulk Qty.				Std. 216	Shldr 217	Pkg. Qty.	Std. B216	Shldr B217	Bulk Qty.	
-187	3/8	\$37.89	\$54.27	100	\$30.27	\$43.39	1000	5.0	-215	3/8	\$37.89	\$54.27	100	\$30.27	\$43.39	10000	5.0
-189	1/2	38.72	55.17	100	30.91	44.10	8000	6.3	-217	1/2	38.72	55.17	100	30.91	44.10	8000	6.3
-190	5/8	39.55	56.19	100	31.62	44.86	7500	7.5	-218	5/8	39.55	56.19	100	31.62	44.86	7500	7.5
-191	3/4	39.75	57.22	100	31.82	45.76	7500	7.5	-219	3/4	40.38	57.22	100	32.32	45.76	7500	7.5
-193	1	41.64	60.61	100	33.26	48.45	5000	10.0	-221	1	42.30	60.61	100	33.79	48.45	5000	10.0
-197	1-1/2	47.30	62.53	100	37.89	49.98	4000	12.5	-225	1-1/2	47.30	62.53	100	37.89	49.98	4000	12.5
-200	2	53.30	64.32	100	42.59	51.46	3000	15.0	-228	2	54.14	64.32	50	43.26	51.46	3000	15.0
1/4-20									5/16-18								
Size No.	Length Overall Inches	PACKAGED			BULK			Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	PACKAGED			BULK			Approx Weight 1000 Pcs.
		Std. 216	Shldr 217	Pkg. Qty.	Std. B216	Shldr B217	Bulk Qty.				Std. 216	Shldr 217	Pkg. Qty.	Std. B216	Shldr B217	Bulk Qty.	
-305	1/2	\$41.96	\$58.56	50	\$33.52	\$46.78	3500	13.8	-440	1/2	\$79.10	\$82.18	50	\$63.23	\$65.66	2500	22.5
-306	5/8	42.97	60.10	50	34.34	48.06	3000	15.0	-441	5/8	-	-	-	-	-	-	25.0
-307	3/4	43.60	61.50	50	34.84	49.15	3000	16.3	-442	3/4	80.83	83.84	50	64.58	67.07	1500	27.5
-309	1	45.93	64.06	50	36.73	51.26	2500	20.0	-444	1	83.10	87.74	50	66.40	70.14	1500	32.5
-311	1-1/4	49.15	69.06	50	39.23	55.17	2500	22.5	-446	1-1/4	88.96	92.29	50	71.10	73.79	1500	36.3
-313	1-1/2	51.60	72.06	50	41.27	57.60	2000	25.0	-448	1-1/2	92.80	97.86	50	74.15	78.27	1200	40.0
-316	2	58.59	75.58	50	46.81	60.42	1500	30.0	-451	2	108.67	112.83	50	86.85	90.24	1000	48.8
-318	2-1/2	67.78	79.10	50	54.14	63.23	1500	35.0	-453	2-1/2	127.04	132.03	50	101.50	105.54	1000	57.5
-320	3	77.76	87.49	50	62.14	69.95	1200	40.6	-455	3	149.25	155.07	50	119.23	123.90	900	65.0
3/8-16																	
Size No.	Length Overall Inches	PACKAGED			BULK			Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	PACKAGED			BULK			Approx Weight 1000 Pcs.
		Std. 216	Shldr 217	Pkg. Qty.	Std. B216	Shldr B217	Bulk Qty.				Std. 216	Shldr 217	Pkg. Qty.	Std. B216	Shldr B217	Bulk Qty.	
-487	3/4	\$102.46	\$106.43	25	\$81.92	\$85.06	1200	40.0									
-489	1	106.22	112.06	25	84.92	89.54	1000	47.5									
-491	1-1/4	113.98	118.40	25	91.14	94.66	1000	53.8									
-493	1-1/2	120.27	126.85	25	96.14	101.38	800	60.0									
-496	2	148.81	148.61	25	112.52	118.78	700	72.5									
-498	2-1/2	169.28	175.87	25	135.30	140.61	600	85.0									
-500	3	201.92	209.73	25	161.41	167.62	500	98.0									

Stock Sizes are shown in **HEAVY** type.
Shoulder Type subject to availability.

Note: Please use Series and Size No. when ordering:
Example: 6-32x1/4 Standard Type Thumb Screws
Zinc Plated
Series Size No.

Packaged - **216** -083
Bulk - **B216** -083

Note: Please use Series and Size No. when ordering:
Example: 6-32x1/4 Shoulder Type Thumb Screws
Zinc Plated
Series Size No.

Packaged - **217** -083
Bulk - **B217** -083

September 24, 2009

M6R


paulin

H. Paulin & Co., a division of The Hillman Group Canada ULC

DOWEL SCREWS

222
Bare

Bare Metal



LIST PRICE PER 100 PIECES

3/16 DIA.							1/4 DIA.						
Size No.	Length Overall Inches	PACKAGED		BULK		Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	PACKAGED		BULK		Approx Weight 1000 Pcs.
		222	Pkg Qty	B222	Bulk Qty				222	Pkg Qty	B222	Bulk Qty	
-805	1-1/2	\$10.80	25	\$8.40	5000	8.0	-825	1-1/2	-	-	-	-	13.0
-806	2	14.19	25	10.68	4000	9.0	-826	2	\$15.07	25	\$12.26	2000	16.0
-807	2-1/2	16.63	25	13.32	3000	11.0	-827	2-1/2	17.46	25	14.51	2000	19.0

5/16 DIA.						
Size No.	Length Overall Inches	PACKAGED		BULK		Approx Weight 1000 Pcs.
		222	Pkg Qty	B222	Bulk Qty	
-849	2-1/2	\$26.72	25	\$23.15	1000	26.0
-851	3	31.45	25	27.86	1000	30.0
-853	3-1/2	40.90	25	34.56	1000	38.0

Stock Sizes are shown in **HEAVY** type.

Hanger Bolts price list is available in section A of the Bolts Catalogue.
See page A91

Note: Please use Series and Size No. when ordering:

Example: 5/16x2-1/2 Dowel Screws Bare Metal

Series Size No.

Packaged - **222** **-849**
Bulk - **B222** **-849**


SELF-SEALING ROOFING/SIDING SCREWS

126
Series



126



B126



Zinc Plated
Hexagon Drive



LIST PRICE PER 100 PIECES

ZINC PLATED															
Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.
		126	Pkg Qty	Case Qty	B126	Bulk Qty				126	Pkg Qty	Case Qty	B126	Bulk Qty	
-937	8x1	\$10.50	100	2400	\$8.54	5000	5.7	-958	10x3	\$16.19	100	800	\$14.18	1000	15.0
-942	8x1-1/2	11.35	100	2400	9.56	3000	7.9	-962	14x1	17.42	100	1600	15.26	2000	15.0
-944	8x2	12.72	100	1600	10.58	3000	10.0	-963	14x1-1/4	19.67	100	1600	17.24	2200	16.9
-950	10X1	10.65	100	2400	8.56	3000	7.3	-964	14x1-1/2	21.85	100	1200	18.17	1500	20.0
-952	10X1-1/2	11.61	100	1600	9.89	2000	9.6	-966	14x2	23.14	100	800	20.86	1200	24.2
-954	10x2	13.19	100	1200	10.94	2200	12.2	-968	14x2-1/2	26.53	100	600	23.91	1100	26.0
-956	10x2-1/2	14.57	100	800	12.76	1500	14.0	-969	14x3	29.49	100	600	26.57	1000	27.0
BONE															
Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.
		126	Pkg Qty	Case Qty	B126	Bulk Qty				126	Pkg Qty	Case Qty	B126	Bulk Qty	
-939	10x1	\$14.30	100	2400	\$12.11	4500	7.3	-945	10x1	\$14.30	100	2400	\$12.11	4500	7.3
-940	10x1-1/2	15.36	100	1600	12.70	3500	9.6	-947	10x1-1/2	15.36	100	1600	12.70	3500	9.6
-941	10x2	16.82	100	1200	13.43	2200	12.2	-949	10x2	16.82	100	1200	13.43	2200	12.2
BROWN															
Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.
		126	Pkg Qty	Case Qty	B126	Bulk Qty				126	Pkg Qty	Case Qty	B126	Bulk Qty	
-970	10x1	\$14.30	100	2400	\$12.11	4500	7.3	-975	10x1	\$14.76	100	2400	\$12.51	4500	7.3
-972	10x1-1/2	15.36	100	1600	12.70	3500	9.6	-976	10x1-1/2	15.62	100	1600	12.91	3500	9.6
-974	10x2	16.82	100	1200	13.43	2200	12.0	-978	10x2	17.10	100	1200	13.65	2200	12.2
RED															
Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.	Size No.	Dia. X Length Under Head Inches	PACKAGED			BULK		Approx Weight 1000 Pcs.
		126	Pkg Qty	Case Qty	B126	Bulk Qty				126	Pkg Qty	Case Qty	B126	Bulk Qty	

Note: Please use Series and Size No. when ordering:

Example: 8x1 Roofing/Siding Screws Zinc


Series Size No.

Packaged - **126** -937
Bulk - **B126** -937

Stock Sizes are shown in **HEAVY** type.

SOFFIT SCREWS

Zinc Plated with Painted Heads
SQUARE DRIVE




LIST PRICE PER 100 PIECES


Size No.	Dia. X Length Under Head Inches	Head Colour	PACKAGED			BULK		Approx Weight 1000 Pcs.
			222	Pkg Qty	Case Qty	B222	Bulk Qty	
-460	6x3/8	White	\$4.58	100	8000	\$3.37	25000	1.9
-461	6x3/8	Brown	4.54	100	8000	3.33	25000	1.9
-462	6x3/8	Ivory	4.72	100	8000	3.46	25000	1.9

Stock Sizes are shown in **HEAVY** type.

222



B222






Also available in selected sizes in Fast-Pac® jars See section 'O'

PAN QUADREX® TRI-LOBULAR SCREWS (THREAD ROLLING SCREWS)

Tri-Lobular Thread - Hardened Zinc Plated

225
Series



LIST PRICE PER 100 PIECES

6-32								8-32							
Size No.	Length Overall Inches	CASE					Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE					Approx Weight 1000 Pcs.
		225	Pkg Qty	Case Qty	B225	Bulk Qty				225	Pkg Qty	Case Qty	B225	Bulk Qty	
-305	3/8	\$6.85	100	7500	\$5.27	20000	2.1	-315	3/8	\$7.39	100	7500	\$6.04	12500	3.4
-307	1/2	6.63	100	7500	5.44	17500	2.4	-317	1/2	7.69	100	7500	6.29	10500	3.9
-308	5/8	6.83	100	7500	5.60	15000	2.8	-318	5/8	7.78	100	7500	6.53	9000	4.5
-309	3/4	7.02	100	7500	5.76	12500	3.2	-319	3/4	7.88	100	4500	6.79	8000	5.0
-311	1	7.26	100	7500	5.95	10000	3.9	-321	1	8.07	100	4500	6.90	6500	6.2
								-323	1-1/4	8.57	100	4500	7.33	5500	7.3
								-325	1-1/2	9.34	100	2000	7.47	5000	8.3
10-24								10-32							
Size No.	Length Overall Inches	CASE					Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE					Approx Weight 1000 Pcs.
		225	Pkg Qty	Case Qty	B225	Bulk Qty				225	Pkg Qty	Case Qty	B225	Bulk Qty	
-337	3/8	\$7.44	100	9000	\$6.47	10000	4.8	-355	3/8	\$8.20	100	7500	\$7.13	8500	5.0
-339	1/2	7.77	100	7500	6.75	10000	5.4	-357	1/2	8.36	100	7500	7.27	7000	5.8
-340	5/8	8.24	100	6500	6.98	10000	6.2	-358	5/8	8.76	100	4500	7.43	6000	6.6
-341	3/4	8.47	100	6000	7.24	7500	6.9	-359	3/4	8.90	100	4500	7.60	5500	7.3
-343	1	8.76	100	5000	7.89	6000	8.3	-361	1	8.76	100	3000	7.89	4500	8.9
-345	1-1/4	9.19	100	4000	8.28	5000	9.7	-363	1-1/4	9.19	100	3000	8.28	4000	10.4
-347	1-1/2	9.75	100	3700	8.79	5000	11.1	-365	1-1/2	9.75	100	2000	8.79	3500	11.9
1/4-20								Stock Sizes are shown in HEAVY type.							
Size No.	Length Overall Inches	CASE					Approx Weight 1000 Pcs.	Size No.	Length Overall Inches	CASE					Approx Weight 1000 Pcs.
		225	Pkg Qty	Case Qty	B225	Bulk Qty				225	Pkg Qty	Case Qty	B225	Bulk Qty	
-373	3/8	\$11.00	100	4500	\$9.24	4200	9.8								
-375	1/2	11.57	100	3000	9.81	3700	11.1								
-376	5/8	12.34	100	3000	10.46	3500	12.4								
-377	3/4	13.11	100	2000	11.02	3000	13.6								
-379	1	14.71	100	2000	12.26	2700	16.1								
-381	1-1/4	16.30	100	1600	13.47	2100	18.7								
-383	1-1/2	17.93	100	1600	14.70	1900	21.2								
-386	2	20.43	100	800	17.31	1600	26.2								

Stock Sizes are shown in **HEAVY** type.

Note: Please use Series and Size No. when ordering:

Example: 6-32 x 3/8 Pan Quadrex® Tri-Lobular Screws

Series	225	Size No.	-305
Case	225		-305
Bulk -	B225		-305

536



537

FAST-PAC® CONTRACTOR JARS



Fast-Pac® Merchandiser	O1
Flat Head Square Drive Wood Screws - Zinc	O2
Pan Head Square Drive Type 'A' Tapping Screws - Zinc	O2
Truss Head Square Drive Type 'A' Tapping Screws - Zinc	O2
Indented Hex Washer Head Type 'A' Tapping Screws - Zinc	O2
Indented Hex Washer Head 'Drill-X®' Self Drilling Screws - Zinc	O2
Pan Head Square Drive 'Drill-X®' Self Drilling Screws - Zinc	O3
Modified Truss Head Phillips Drive Lath Screws - Zinc	O3
Duct Screws	O3
Bugle Head Phillips Drywall Screws Coarse & Fine Thread - Phos.	O3
Bugle Head Phillips 'Self-Drilling' Drywall Screws - Zinc	O3
Trim Head Phillips Drive Drywall Screws - Phos.	O4
Flat Head Square Drive Flooring Screws - Phos.	O4
Flat Head Square Drive Particle Board Screws - Zinc & Lubricated	O4
Round Washer Head Square Drive Particle Board Screws - Zinc & Lubricated	O4
Framing Screws 'S' Point and Self-Drilling	O4
Soffit Screws	O4
Plugs & Anchors	O5
Flat Socket Head Deck Screws Green & Cedar	O5
Flat Socket Head Construction Screws Yellow Zinc	O5
Grounding Screws	O5
Closet Bolts	O5
Fast-Fill Merchandisers and Standard Signage	O6 - O8

AVAILABLE IN THE FOLLOWING PACKAGES:











Available in three sizes: 400ml, 750ml and 1litre.
Colour coded labels to identify different products.

HEAD DIMENSIONS

MACHINE SCREWS and TAPPING SCREWS

ANSI B18.6.3. - 1972

ASME B18.6.3. - 2003

Head Style	Diameter of Screw	2	3	4	5	6	8	10	12	1/4	5/16	3/8
	A - diameter Max	.162	.187	.211	.236	.260	.309	.359	.408	.472	.590	.708
	Min	.146	.169	.193	.217	.240	.287	.334	.382	.443	.557	.670
	H - height	.069	.078	.086	.095	.103	.120	.137	.153	.175	.216	.256
	J - recess A/F	.059	.067	.075	.083	.091	.107	.123	.139	.160	.198	.237
	T - recess depth	.050	.070	.070	.091	.091	.112	.112	.133	.133	.191	.191
	A - diameter Max	.167	.193	.219	.245	.270	.322	.373	.425	.492	.615	.740
	Min	.155	.180	.205	.231	.256	.306	.357	.407	.473	.594	.716
	H - height	.053	.060	.068	.075	.082	.096	.110	.125	.144	.178	.212
	J - recess A/F	.045	.051	.058	.065	.072	.085	.099	.112	.130	.162	.195
	T - recess depth	.050	.070	.070	.091	.091	.112	.112	.133	.133	.191	.191
	A - diameter Max	.172	.199	.225	.252	.279	.332	.385	.438	.507	.635	.762
	Min	.147	.171	.195	.220	.244	.292	.340	.389	.452	.568	.685
	H - c'sink depth	.051	.059	.067	.075	.083	.100	.116	.132	.153	.191	.230
	O - height	.040	.048	.055	.062	.069	.084	.098	.112	.131	.165	.200
	J - recess A/F	.080	.092	.104	.116	.128	.152	.176	.200	.232	.290	.347
	A - diameter Max	.172	.199	.225	.252	.279	.332	.385	.438	.507	.635	.762
	Min	.147	.171	.195	.220	.244	.292	.340	.389	.452	.568	.685
	H - height	.051	.059	.067	.075	.083	.100	.116	.132	.153	.191	.230
	J - recess A/F	.040	.048	.055	.062	.069	.084	.098	.112	.131	.165	.200
	T - recess depth	.063	.073	.084	.095	.105	.126	.148	.169	.197	.249	.300
	A - diameter Max	.172	.199	.225	.252	.279	.332	.385	.438	.507	.635	.762
	Min	.147	.171	.195	.220	.244	.292	.340	.389	.452	.568	.685
	H - height	.051	.059	.067	.075	.083	.100	.116	.132	.153	.191	.230
	J - recess A/F	.040	.048	.055	.062	.069	.084	.098	.112	.131	.165	.200
	T - recess depth	.063	.073	.084	.095	.105	.126	.148	.169	.197	.249	.300
	A - diameter Max	.194	.226	.257	.289	.321	.384	.448	.511	.573	.698	.823
	Min	.180	.211	.241	.272	.303	.364	.425	.487	.546	.666	.787
	H - height	.053	.061	.069	.078	.086	.102	.118	.134	.150	.183	.215
	J - recess A/F	.044	.051	.059	.066	.074	.088	.103	.118	.133	.162	.191
	T - recess depth	.050	.070	.070	.091	.091	.112	.112	.133	.133	.191	.191
	A - diameter Max	.140	.161	.183	.205	.226	.270	.313	.357	.414	.518	.622
	Min	.124	.145	.166	.187	.208	.250	.292	.334	.389	.490	.590
	H - c'bore depth	.062	.070	.079	.088	.096	.113	.130	.148	.170	.211	.253
	O - height	.053	.061	.069	.078	.086	.102	.118	.134	.155	.194	.233
	J - recess A/F	.083	.095	.107	.120	.132	.156	.180	.205	.237	.295	.355
	A - diameter Max	.066	.077	.088	.100	.111	.133	.156	.178	.207	.262	.315
	Min	.031	.035	.039	.043	.048	.054	.060	.067	.075	.084	.094
	H - c'bore depth	.023	.027	.031	.035	.039	.045	.050	.056	.064	.072	.081
	J - recess A/F	.031	.035	.039	.043	.048	.054	.060	.067	.075	.084	.094
	T - recess depth	.023	.027	.031	.035	.039	.045	.050	.056	.064	.072	.081

* Round Head Dimensions are to ANSI B18.6.3. - 1970

** Fillister Heads are available in Machine Screws only

TOLERANCE ON LENGTHS

WOOD SCREWS

ASME B18.6.1 1981 (R1997)


NOMINAL SCREW LENGTH	TOLERANCE	
UP TO 5/8", INCL.	+0.0	- .03
OVER 5/8" TO 1", INCL.	+0.0	- .05
OVER 1" TO 1-1/2", INCL.	+0.0	- .05
OVER 1-1/2" TO 2-3/4", INCL.	+0.0	- .06
OVER 2-3/4"	+0.0	- .09



TAPPING SCREWS

ASME B18.6.4 1988

NOMINAL SCREW LENGTH	TOLERANCE
UP TO 1", INCL.	± .03
OVER 1"	± .05



Type A or AB




Type BP

MACHINE SCREWS

ASME B18.6.3 2002

NOMINAL SCREW SIZE	No. 0 thru No.12	1/4" thru 3/4"
NOMINAL SCREW LENGTH	TOLERANCE	
UP TO 1/2", INCL.	- .02	- .03
OVER 1/2" TO 1", INCL.	- .03	- .03
OVER 1" TO 2", INCL.	- .06	- .06
OVER 2"	- .09	- .09

* Plus Tolerance is 0.0



Type F

THREAD CUTTING SCREWS

ASME B18.6.4 1998

NOMINAL SCREW LENGTH	TOLERANCE
UP TO 3/4", INCL.	- .03
OVER 3/4" TO 1-1/2", INCL.	- .05
OVER 1-1/2"	- .06



Type 25 (BT)



Type 23 (T)



Type B



Type D (1)




Type BF

DRIVE SCREWS

ASME B18.6.4 1998

NOMINAL SCREW LENGTH	TOLERANCE
UP TO 3/8", INCL.	± .02
OVER 3/8"	± .03



Type G



Type U

THREAD DIMENSIONS FOR MACHINE SCREWS

CLASS 2A



ASME B1.1 2002

Nominal Screw Size and Threads Per Inch	Series Designation	Allowance	Major Diameter 'D'		Pitch Diameter		
			Max.	Min.	Min.	Min.	Tolerance
2-56	UNC	.0006	.0854	.0813	.0738	.0717	.0021
3-48	UNC	.0007	.0983	.0938	.0848	.0825	.0023
4-40	UNC	.0008	.1112	.1061	.0950	.0925	.0025
4-48	UNF	.0007	.1113	.1068	.0978	.0954	.0024
5-40	UNC	.0008	.1242	.1191	.1080	.1054	.0026
6-32	UNC	.0008	.1372	.1312	.1169	.1141	.0028
6-40	UNF	.0008	.1372	.1321	.1210	.1184	.0026
8-32	UNC	.0009	.1631	.1571	.1428	.1399	.0029
8-36	UNF	.0008	.1632	.1577	.1452	.1424	.0028
10-24	UNC	.0010	.1890	.1818	.1619	.1586	.0033
10-32	UNF	.0009	.1891	.1831	.1688	.1658	.0030
12-24	UNC	.0010	.2150	.2078	.1879	.1845	.0034
12-28	UNF	.0010	.2150	.2085	.1918	.1886	.0032
1/4-20	UNC	.0011	.2489	.2408	.2164	.2127	.0037
1/4-28	UNF	.0010	.2490	.2425	.2258	.2225	.0033
5/16-18	UNC	.0012	.3113	.3026	.2752	.2712	.0040
5/16-24	UNF	.0011	.3114	.3042	.2843	.2806	.0037
3/8-16	UNC	.0013	.3737	.3643	.3331	.3287	.0044
3/8-24	UNF	.0011	.3739	.3667	.3468	.3430	.0038

THREAD DIMENSIONS FOR WOOD SCREWS



ASME B18.6.1 - 1981 (R1997)

Nominal Screw Size	Basic Screw Dia.	Threads per Inch	Major Diameter 'D'		* 'E' Body Diameter	
			Max.	Min.	Min.	Min.
3	.099	24	.103	.092	.086	.075
4	.112	22	.116	.105	.095	.084
5	.125	20	.129	.118	.107	.096
6	.138	18	.142	.131	.118	.107
7	.151	16	.155	.144	.127	.116
8	.164	15	.168	.157	.136	.125
9	.177	14	.181	.170	.147	.136
10	.190	13	.194	.183	.157	.146
12	.216	11	.220	.209	.176	.165
14	.242	10	.246	.235	.201	.190
16	.268	9	.272	.261	.214	.203
18	.294	8	.298	.287	.237	.226
20	.320	8	.324	.313	.260	.249
24	.372	7	.376	.365	.303	.292

* Refers to Rolled Threads only









NOTE: Does not apply to "specialty" screws such as Deck, Construction, Flooring, Particle Board or Drywall Screws.

March, 2007




H. Paulin & Co., a division of The Hillman Group Canada ULC

TYPE DESIGNATION OF TAPPING SCREWS and METALLIC DRIVE SCREWS

TYPE	ANSI STANDARD	MANUFACTURER
	AB	AB
	A	A
	B	B
	BP	BP
	C	C
	D	1
	F	F
	G	G
	T	23
	BF	BF
	BT	25
	U	U

THREAD DIMENSIONS FOR TAPPING SCREWS


Type A



Nominal Screw Size	Basic Screw Dia.	Threads per Inch	`D`		`d`	
			Major Diameter		Minor Diameter	
			Max.	Min.	Max.	Min.
4	.112	24	.114	.110	.083	.078
6	.138	18	.141	.136	.102	.096
7	.151	16	.158	.152	.114	.108
8	.164	15	.168	.162	.123	.116
10	.190	12	.194	.188	.133	.126
12	.216	11	.221	.215	.162	.155
14 (1/4)	.250	10	.254	.248	.185	.178
5/16	.313	9	.333	.327	.234	.226
3/8	.375	9	.390	.383	.291	.282


* These lengths or shorter have Type AB Threads.

Type AB




Nominal Screw Size	Basic Screw Dia.	Threads per Inch	D		d		L Min. Practical. Screw Lengths	
			Major Diameter		Minor Diameter			
			Max.	Min.	Min.	Min.	90°	C'sk
4	.112	24	.114	.108	.086	.082	7/32	9/32
6	.138	20	.139	.132	.104	.099	9/32	11/32
7	.151	19	.154	.147	.115	.109	5/16	3/8
8	.164	18	.166	.159	.122	.116	5/16	3/8
10	.190	16	.189	.182	.141	.135	3/8	7/16
12	.216	14	.215	.208	.164	.157	7/16	17/32
14 (1/4)	.250	14	.246	.237	.192	.185	1/2	19/32
5/16	.313	12	.315	.306	.244	.236	5/8	3/4
3/8	.375	12	.380	.371	.309	.299	3/4	29/32

THREAD and POINT DIMENSIONS FOR THREAD CUTTING SCREWS and TAPPING SCREWS




Type F




Type 23 T

ASME B18.6.4. - 1998

Nominal Screw Size	Basic Screw Dia.	Threads Per Inch	D		P		S				L	
			Major Diameter		Point Diameter		POINT TAPER LENGTH				Determinant Length For Point Taper	
			Max.	Min.	Max.	Min.	Short Screws		Long Screws		90°	C'sk
4	.112	40	.112	.1061	.086	.077	.088	.062	.112	.088	7/32	1/4
6	.138	32	.138	.1312	.106	.095	.109	.078	.141	.109	1/4	5/16
8	.164	32	.164	.1571	.132	.121	.109	.078	.141	.109	1/4	11/32
10	.190	24	.190	.1818	.147	.133	.146	.104	.188	.146	11/32	7/16
10	.190	32	.190	.1831	.158	.147	.109	.078	.141	.109	1/4	11/32
1/4	.250	20	.250	.2408	.200	.181	.175	.125	.225	.175	13/32	17/32



Type 25 BT




Type B

ASME B18.6.4. - 1998

Nominal Screw Size	Basic Screw Dia.	Threads Per Inch	D		d		P	S		L	
			Major Diameter		Minor Diameter		Point Diameter	POINT TAPER LENGTH		Determinant Length For Point Taper	
			Max.	Min.	Max.	Min.	Max.	Max.	Min.	90°	C'sk
2	.086	32	.088	.082	.064	.060	.058	.062	.047	5/32	3/16
4	.112	24	.114	.108	.086	.082	.079	.083	.063	3/16	1/4
6	.138	20	.139	.132	.104	.099	.095	.100	.075	1/4	9/32
8	.164	18	.166	.189	.122	.116	.112	.111	.083	9/32	11/32
10	.190	16	.189	.182	.141	.135	.130	.125	.094	5/16	3/8
12	.216	14	.215	.208	.164	.157	.152	.143	.107	11/32	7/16
14	.250	14	.246	.237	.192	.185	.179	.143	.107	3/8	1/2

DIMENSIONS of ROUND HEAD TYPE U METALLIC DRIVE SCREWS



ASME B18.6.4. - 1998

Nominal Size	Threads Per Inch	D		A		H		P		Recommended Hole Size	
		Outside Diameter		Head Diameter		Head Height		Pilot Diameter		Drill Size No.	Hole Diameter
		Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	90°	C'sk
00	6	.060	.057	.099	.090	.034	.026	.049	.046	55	.052
0	6	.075	.072	.127	.118	.049	.041	.063	.060	51	.067
2	8	.100	.097	.162	.146	.069	.059	.083	.080	44	.086
4	7	.116	.112	.211	.193	.086	.075	.096	.092	37	.104
6	7	.140	.136	.260	.240	.103	.091	.116	.112	31	.120
7	8	.154	.150	.285	.264	.111	.099	.126	.122	29	.136
8	8	.167	.162	.309	.287	.120	.107	.136	.132	27	.144
10	8	.182	.177	.359	.334	.137	.123	.150	.146	20	.161
12	8	.212	.206	.408	.382	.153	.139	.177	.173	11	.191
14	9	.242	.236	.457	.429	.170	.155	.202	.198	2	.221
5/16	11	.315	.309	.590	.557	.216	.198	.272	.267	M	.295
3/8	12	.370	.371	.708	.670	.256	.237	.334	.329	T	.358

L	Nominal Screw Length	1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4	1" and over
S	Pilot Length	.047	.047	.047	.047	.062	.062	.078	.078	.125

